

SHU621X

Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionMaterialStainless steelType of steelBrushed

EAN code 8017709346058 Colour Stainless steel

Finishing Satin
Serigraphy colour Black
Logo Applied

Controls

Control setting Buttons Led color Multiple colours

Program / Functions

No. of speeds
Intensive speed

Technical Features



No. of lights2Motor power250 WLight typeLEDNo. of filters1

Light color temperature 4000 K Anti-grease filters Stainless steel scale (K)

Free outlet maximum 780 m³/h

capacity


	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	300	46
Speed 2	450	55
Speed 3	630	62
Intensive speed	750	66





Electrical Connection


Voltage 220-240 V Frequency (Hz) 50-60 Hz Plug

(I) Australia











Compatible Accessories

KITFC152

Charcoal filters Round Kit 2 pieces





Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.