

SHU900XHN



Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Extraction
Electronic control	Yes
Perimeter extraction	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709288822
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Buttons
-----------------	---------

Program / Functions

No. of speeds	4
---------------	---

Technical Features



No. of lights	2	Motor power	190 W
Light type	LED	No. of filters	1
Light Power	3 W	Anti-grease filters	Aluminium
Free outlet maximum capacity	750 m ³ /h	Vent outlet	150 mm

	□	Noise level IEC 60704-2-13 [dBA]
Speed 4	750	71

Performance / Energy Label

Energy efficiency class F
(EEC)

Electrical Connection

Plug	(I) Australia	Voltage	220-240 V
Current	10 A	Frequency (Hz)	50 Hz

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.

Benefit (TT)

Perimetral aspiration

Optimized extraction through the perimeter aspiration system

Perimeter aspiration enhances extraction efficiency by directing vapors along the edges of the panel beneath the filters, optimizing air capture

Dimmering & Tunable lights

Customized lighting with LED lights featuring adjustable intensity and color temperature, from warm to cool tones