

SHW610X2

Product family Hood

Hood Type Decorative wall hood

Design Chimney
Extraction Recirculation
Material Stainless steel
Type of steel Brushed

EAN code 8017709346171

AestheticUniversaleColourStainless steelLogoEmbossed



Controls

Control setting Buttons

Program / Functions

No. of speeds Intensive speed 3 BOOST

Technical Features





Motor power

No. of lights 2 No. of filters 2

Light type LED Anti-grease filters Stainless steel

Light Power 1 W Vent outlet 150 mm
Light color temperature 4000 K Minimum distance from 650 mm

scale (K) GAS hob

340 W

Free outlet maximum 1000 m³/h Minimum distance from 600 mm

capacity ELECTRIC hob

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	400	56
Speed 2	610	66
Speed 3	810	72

SMEG SPA 2/12/2025



	Intensive speed	940	75
--	-----------------	-----	----

Accessories Included

Tube reduction Yes

Electrical Connection

Current 10 A Power supply cable 1500 mm

Voltage 220-240 V length

Frequency (Hz) 50-60 Hz Plug (I) Australia

Optional accessories

Charcoal filter Yes

SMEG SPA 2/12/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 2/12/2025