

SI1B2642D



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709339685



Aesthetics



Aesthetic Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Glass edge Straight edge Type of control setting Digi Touch LED colours Red

LED colours Red
Control knob position Front
Logo Serigraphy colour Grey

Program / Functions



No. of induction cook zones 4

Time-setting options Spegnimento automatico

No. of cooking zones with booster 4
No. of Flexible zones 2

Main on/off switchYesPower levels9Total no. of cook zones4

Options

SMEG SPA 25/11/2025















Flexible Zone Type

Bridge Worktop Cut-Out 478-482x555-560 mm

End cooking timer 4 Minute minder 1

End of cooking alarm Yes Residual time indicator Yes Limited Power Yes

Consumption Mode

Control Lock / Child

Safety

Bridge option Yes

Yes

Yes

Yes

Technical Features









Front-left - Induction - Single - 1.50 kW - Booster 2.00 kW - Ø 18.0 cm

Rear-left - Induction - Single - 1.50 kW - Booster 2.00 kW - Ø 18.0 cm

Rear-right - Induction - Single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 14.5 cm

Left Bridge dimension

Booster power right

Bridge

Automatic setting

according to pan

dimension

pan detection

38.5x18.0 cm

Yes

Yes, min. 9 cm

Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes Yes

Protection against accidental start up

Electrical Connection

Electrical connection

rating (W)

32 A Current Voltage (V) 220-240 V

Voltage 2 (V)

Type of electric cable

installed

7200 W

380-415 V

Yes, Single phase

Additional connection

modalities Frequency (Hz)

Power supply cable

length


Plug

Yes, Double and Three

Phase 50/60 Hz

120 cm

Not present



SMEG SPA 25/11/2025



Compatible Accessories



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 25/11/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Min diameter pot detection of 9 cm



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi

SMEG SPA 25/11/2025