

# SI1F7845B





Product Family

Built-in type Ultra-low profile

Hob

Dimensions78 cmPower supplyElectricTypeInduction

**EAN code** 8017709254926



### **Aesthetics**





AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramic

Glass edge Bevelled Front Edge

Type of control setting Multi Slider

Slider Yes
LED colours Red
Control knob position Front
Logo Silk screen
Serigraphy colour Grey

# **Program / Functions**





No. of induction cook zones 4
No. of cooking zones with booster 4
No. of Flexible zones 1
Main on/off switch Yes
Power levels 14
Auto-Vent Yes
Total no. of cook zones 4

# **Options**



















Flexible Zone Type Worktop Cut-Out

490x750-780 mm End cooking timer 4 Pause option Minute minder 4

Flexi4Zone

Yes End of cooking alarm Yes Residual time indicator Yes **Limited Power** 

**Consumption Mode** 

Limited Power 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, Consumption Mode in W

6000, 7200 W

Si Advance

Showroom Demo Option Yes Control Lock / Child Yes

Safety

Rapid level selection Yes Flexi-Heat Yes

### **Technical Features**









Front-left - Induzione - Flexi4Zone - 2.30 kW - Booster 3.20 kW - Ø 22 cm Rear-left - Induzione - Flexi4Zone - 2.30 kW - Booster 3.20 kW - Ø 22 cm Front-right - Induction - Single - 1.80 kW - Booster 2.80 kW - Ø 18 cm

Rear-right - Induction - Single - 2.30 kW - Booster 3.20 kW - Ø 21 cm

Yes

7200 W

Flexi4Zone dimensions 459x214 mm

Automatic setting according to pan

dimension

pan detection Yes Minimum pan diameter Yes

indication

Automatic switch off

when overheat

Automatic switch off

when overflow

**Eco-Heat** Yes **Eco-Off** Yes

Yes

Yes

50/60 Hz

150 cm

### **Electrical Connection**

**Electrical connection** 

rating (W)

Current 32 A Voltage (V) 220-240 V Voltage 2 (V) 400 V Type of electric cable Universal


installed

Frequency (Hz) Power supply cable

length

Terminal box 5 poles Plug Not present







# **Compatible Accessories**

### **LGCN**



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

### TPK



Stainless steel grill plate to cook Teppanyaki dishes



### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



## Symbols glossary



A smart infrared system, which allows a hood and hob with this feature to work together.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.



Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.



This function allows you to move pans between three preset temperature zones, to quickly heat (high temperature), cook (medium temperature) or keep foodstuffs warm (minimum temperature), without the need to raise or lower the temperature – simply move pans between the three zones, as required. The preset power levels can also be modified.



This function allows you to use multiple pans of various dimensions (minimum diameter 10 cm) at the same time, increasing flexibility of positioning.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Possibility to set the maximum power absorbion of the hob



Perfect fit in a 80 cm cabinet



Premium individual Slider control for each zone