

SI1M4634D



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions 60 cm Power supply Electric Induction Type

EAN code 8017709305611



Aesthetics





Aesthetic Classica Colour Black **Finishing** Glass Material Glass Glass type Ceramic Straight edge Glass edge

Type of control setting **Compact Slider Plus**

Slider Yes Red LED colours Control knob position Front Serigraphy colour Grey

Options





Worktop Cut-Out

























Multizone Option Flexible Zone Type

Yes MultiZone

Yes

Yes

3

478-482x555-560 mm

Residual time indicator **Limited Power Consumption Mode**

End of cooking alarm

Yes Si Advance

Yes

Auto Multizone Yes **Double Booster** Yes Yes

Limited Power Consumption Mode in W

2400 a 7400 - step 100 W

Keep warm automatic function

Showroom Demo Option Yes Control Lock / Child

Yes

Grill function End cooking timer

Pause option

Safety

Cleaning option Yes **Quick start** Yes

SMEG SPA 27/12/2024



Minute minder 1 Rapid level selection Yes

Technical Features













Yes

Yes

Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Right - Induction - Single - 2.30 kW - Booster 3.00 kW - - Ø 25.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension

pan detection Yes, min 9 cm

Permanent Automatic Pot Detection with indication of the relative

control

Automatic switch off

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes **Eco-Heat** Yes

Protection against accidental start up Yes

Yes

Electrical Connection

Plug Not present Type of electric cable Yes, Single phase installed **Electrical connection** 7400 W rating (W) Additional connection Yes, Double and Three modalities Phase Current 33 A 50/60 Hz Frequency (Hz) 220-240 V Voltage (V) Power supply cable 120 cm Voltage 2 (V) 380-415 V length Terminal box 5 poles

600 555-560

SMEG SPA 27/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 27/12/2024



Symbols glossary (TT)

P	\backslash
	1

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



CUT_OUT_STANDARD_72dpi



Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Permanent auto pot detection



Connection between hob and hood



Grill function



Min diameter pot detection of 9 cm



Possibility to set the maximum power absorbion of the hob



Additional maximum power level for a better energy consumption



Compact Slider back-lighted ghost effect



Automatic merge of zones for a bigger area

SMEG SPA 27/12/2024