

# SI1M4854D




Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions80 cmPower supplyElectricTypeInduction

**EAN code** 8017709305659



### **Aesthetics**





AestheticClassicaColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Slider Plus

SliderYesLED coloursRedControl knob positionFrontSerigraphy colourGrey

# **Program / Functions**





No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster 5
No. of Flexible zones 1

Main on/off switchYesPower levels9Auto-vent 2.0YesTotal no. of cook zones5



### **Options**



 Multizone Option
 Yes
 End of cooking alarm
 Yes

 Flexible Zone Type
 MultiZone
 Residual time indicator
 Yes

Worktop Cut-Out 490x750-780 mm Limited Power Si Advance
Auto Multizone Yes Consumption Mode

Double Booster Yes Limited Power 2400 a 7400 - step 100 W

Double Booster Yes Limited Power
Keep warm automatic Yes Consumption Mode in W

function Showroom Demo Option Yes
Grill function Yes Control Lock / Child Yes

End cooking timer 5

Pause option Yes

Minute minder 1

Safety

Bridge option Yes

Cleaning option Yes

Quick start Yes

**Technical Features** 

Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x18.0 cm

Rapid level selection

Yes

Yes

Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - 21.0x18.0 cm

Central - Induction - Single - 2.30 kW - Booster 3.00 kW - Double booster 3.00 kW - - Ø 20.0 cm

Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - - Ø 20.0 cm Front-right - Induction - Single - 1.40 kW - Booster 2.10 kW - - Ø 16.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting Yes Automatic switch off Yes according to pan when overflow

dimension Residual heat indicator

pan detectionYes, min. 7 cmEco-HeatYesPermanent AutomaticYesProtection against<br/>accidental start upYes

indication of the relative

Yes

when overheat

Automatic switch off

**Electrical Connection** 

Plug Not present Type of electric cable Yes, Single phase

Electrical connection 7400 W installed

rating (W)

Current

Additional connection


Yes, Double phase modalities

 Voltage (V)
 220-240 V
 Frequency (Hz)
 50/60 Hz

 Voltage 2 (V)
 380-415 V
 Power supply cable length
 120 cm

Terminal box 5 poles







# **Compatible Accessories**

### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Perfect fit in a 80 cm cabinet

Compact Slider back-lighted ghost effect

# Symbols glossary

Ō	Automatic merge of zones for a bigger area	O	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	ECO HEAT ==-	Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.
<b>"</b>	This function allows you to keep cooked food warm without burner it	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	<u>∆</u>	Connection between hob and hood
į	Grill function	÷ 💍	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.
† P14 † 14 † 10 † 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).	4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<u>()</u>	Time elapsed: shows how long the cooking zone has been in use.
(%)	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		TWIN_ZONE_72dpi
(Tem)	Min diameter pot detection of 7 cm	logic	Possibility to set the maximum power absorbion of the hob

SMEG SPA 15/9/2025

energy consumption

Additional maximum power level for a better



## Benefit (TT)

#### Induction hobs

Fast cooking and precise temperature control

#### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space

### Ceramic

Stability and design even up to 700 °C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use

Immediate access to functions via touch display, for simple and intuitive control

### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use

### **Keep Warm function**

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

### MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans.

### **Grill function**

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

### Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention

### Auto-vent 2.0

Cooktop and hood connected via Bluetooth for synchronized and automatic operation