

SI1M5633D1



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709338046



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Lite

Slider Yes
LED colours Red
Control knob position Front
Logo Silk screen
Serigraphy colour Grey

Program / Functions



No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster3No. of Flexible zones1Main on/off switchYesPower levels17Total no. of cook zones3

Options

SMEG SPA 22/11/2025















Yes













Multizone Option Flexible Zone Type

Multi7one Worktop Cut-Out 478-482x555-560 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes function

Grill function Yes End cooking timer 3 Pause option Yes Minute minder 1

End of cooking alarm Yes Residual time indicator Yes Si Advance

Limited Power **Consumption Mode**

Limited Power 2400 a 7400 - step 100 W

Yes

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Cleaning option Yes Quick start Yes Rapid level selection Yes

Technical Features















Front-left - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3000 kW - Ø 19.5 cm Rear-left - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3000 kW - Ø 19.5 cm

Centre-right - Induction - Single - 2.8 kW - Booster 3.6 kW - Ø 28.0 cm

Multizone left - Booster 3700 kW - 39.0x22.0 cm

Automatic setting according to pan dimension

Yes. min. 9 cm pan detection

Permanent Automatic Pot Detection with indication of the relative control

Automatic switch off

when overheat

Yes

Yes

Yes

Automatic switch off when overflow

Residual heat indicator Yes **Eco-Heat** Yes **Protection against** Yes accidental start up

Electrical Connection

Electrical connection

rating (W)

Current 33 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Yes, Single phase

installed

7400 W

Additional connection modalities

Frequency (Hz) Power supply cable

length

Terminal box Plug

Yes, Double and Three

Phase 50/60 Hz 120 cm

5 poles Not present

SMEG SPA 22/11/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 22/11/2025



Symbols glossary

Ō	Automatic merge of zones for a bigger area	0	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	48 56	CUT_OUT_STANDARD_72dpi
ECO HEAT ==_	Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.	<u>"</u>	This function allows you to keep cooked food warm without burner it
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
÷Ö	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.	† P 14 10 15	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
()	Time elapsed: shows how long the cooking zone has been in use.	()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
Ē	Grill function	9cm min	Min diameter pot detection of 9 cm

SMEG SPA 22/11/2025

Additional maximum power level for a better

energy consumption

Possibility to set the maximum power absorbion

of the hob