

SI2641D



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709287108



Aesthetics



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edge

Gas_replacement Yes

Type of control setting

Slider

Control knobs position

Logo

Serigraphy colour

Digi Touch
Red
Front
Silk screen
Grey

Program / Functions



No. of induction cook zones

Time-setting options Automatic switch-off

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options

SMEG SPA 24/11/2025













Standard cut out 478-482x555-560 mm

End cooking timer 4 Minute minder 1 End of cooking acoustic Yes

alarm

Residual time indicator Yes Limited Power Yes

Consumption Mode

Control Lock / Child Yes

Safety

Technical Features







Front left - Induction - single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm Rear left - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Rear right - Induction - single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm Front right - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Yes, min 9 cm

Yes

Yes

Automatic setting according to pan

dimension

Automatic pan

detection

Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against**

accidental start up

Yes

Yes

Electrical Connection

Nominal power (W) 7200 W Current 32 A

Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

Type of electric cable Single phase Type of electric cable

Yes, Double and Three

Phase

Type of electric cable


supplied

Frequency (Hz) Power supply cable

length

Yes, Three and Single/Two-

phase 50/60 Hz 120 cm



SMEG SPA 24/11/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper

SMEG SPA 24/11/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Min diameter pot detection of 9 cm



Touch control

SMEG SPA 24/11/2025