

SI2641D



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709287108



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Gas_replacement Yes

Type of control setting

LED colours

Control knob position

Logo

Serigraphy colour

Digi Touch

Red

Front

Silk screen

Grey

Program / Functions



No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster4Main on/off switchYesPower levels9Total no. of cook zones4

Options

SMEG SPA 6/12/2025













Worktop Cut-Out 478-482x555-560 mm End cooking timer 4

Minute minder 1 End of cooking alarm Yes Residual time indicator Yes Limited Power Yes Consumption Mode

Control Lock / Child Yes

Safety

Technical Features







Front-left - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm Rear-left - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Rear-right - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Yes

Automatic setting according to pan

pan detection Yes, min. 9 cm

Minimum pan diameter Yes

indication

dimension

Automatic switch off when overheat

> Residual heat indicator Yes Protection against Yes

accidental start up

Electrical Connection

7200 W **Electrical connection**

rating (W)

Current 32 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

installed

Type of electric cable Yes, Single phase

Additional connection modalities

Type of electric cable

supplied Frequency (Hz)

Power supply cable

length Plug

Yes, Double and Three


Phase

Yes

Yes, Three and Single/Two-

phase 50/60 Hz 120 cm

Not present



SMEG SPA 6/12/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 6/12/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Min diameter pot detection of 9 cm



Touch control

SMEG SPA 6/12/2025