

SI2641DP



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709303150



Aesthetics



Aesthetic Universale Colour Cream **Finishing** Glass Material Glass Glass type Ceramic Straight edge Glass edge Type of control setting Digi Touch LED colours Red

Control knob position Front
Serigraphy colour Gold

Options











Worktop Cut-Out 478-482x555-560 mm Residual time indicator Yes
End cooking timer 4 Limited Power Yes
Minute minder 1 Consumption Mode

End of cooking alarm Yes Control Lock / Child Yes Safety

Technical Features







Front-left - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 21.0 cm

SMEG SPA 22/12/2024



Rear-left - Induction - Single - 1.40 kW - Ø 15.0 cm

Rear-right - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.40 kW - Ø 15.0 cm

Yes

Yes

Automatic setting according to pan

dimension

Yes, min 9 cm pan detection

Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against**

accidental start up

Yes

Yes

Electrical Connection

Plug Not present 7200 W **Electrical connection** rating (W)

Current 32 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable

installed

Additional connection

modalities


Frequency (Hz) Power supply cable

length

Yes. Double and Three

Yes, Single phase

Phase 50/60 Hz 120 cm



SMEG SPA 22/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 22/12/2024



Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Min diameter pot detection of 9 cm

SMEG SPA 22/12/2024