

SI2741D



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

70/75 cm **Dimensions** Power supply Electric Type Induction

8017709291662 EAN code



Aesthetics



Aesthetics Universal Colour Black Glass **Finishing** Material Glass Glass Type Ceramic Glass edge Straight edge Touch control Type of control setting

Slider Red Control knobs position Front Serigraphy colour Grey

Programs / Functions



Total no. of cook zones 4 No. of induction cook zones 4

Time-setting options Automatic switch-off

No. of cooking zones with booster Main on/off switch Yes Power levels 9

Options













SMEG SPA 25/04/2024



Standard cut out 478-482x555-560 mm Residual time indicator Yes

End cooking timer 4 **Limited Power** Yes **Consumption Mode** 1

Minute minder Limited Power 1000, 1600, 2200, 2800, End of cooking acoustic

Control Lock / Child Yes

Safety

Consumption Mode in W

3500, 6000, 7200 W

Phase

Technical Features

STOP °C∓

indication

alarm

Front left - Induction - single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm Rear left - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm Rear right - Induction - single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Front right - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Automatic setting Automatic switch off Yes

according to pan when overheat

dimension Residual heat indicator Yes Automatic pan Yes, min 9 cm Yes **Protection against**

detection accidental start up Minimum pan diameter Yes

Electrical Connection

Nominal power (W) 7200 W Type of electric cable Single phase


Current 32 A Type of electric cable Yes. Double and Three

Voltage (V) 220-240 V Frequency (Hz) 50/60 Hz Voltage 2 (V) 380-415 V

Power supply cable 120 cm length

SMEG SPA 25/04/2024





SMEG SPA 25/04/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 25/04/2024



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



...



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

SMEG SPA 25/04/2024