

SI2741D



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions 70/75 cm
Power supply Electric
Type Induction

EAN code 8017709291662



Aesthetics



Aesthetic Universale Colour Black Glass **Finishing** Material Glass Glass type Ceramic Glass edge Straight edge Type of control setting Digi Touch LED colours Red Control knob position Front Logo Silk screen Serigraphy colour Grey

Program / Functions



No. of induction cook zones 4

Time-setting options Spegnimento automatico

No. of cooking zones with booster 4

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options

SMEG SPA 6/12/2025













Worktop Cut-Out 478-482x555-560 mm

End cooking timer 4 Minute minder 1

End of cooking alarm Yes Residual time indicator Yes Limited Power Yes

Consumption Mode

Limited Power 1000, 1600, 2200, 2800, Consumption Mode in W 3500, 6000, 7200 W

Yes

Yes, Double and Three

Control Lock / Child Yes

Safety

Technical Features







Front-left - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Rear-right - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Yes

Front-right - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Automatic setting

according to pan

dimension

pan detection Yes, min. 9 cm

Minimum pan diameter Yes

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection 7200 W

rating (W)

Current 32 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V

Type of electric cable Yes, Single phase

installed


Additional connection

modalities Phase Frequency (Hz) 50/60 Hz Power supply cable 120 cm

length

Plug

Not present



SMEG SPA 6/12/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 6/12/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Min diameter pot detection of 9 cm



Touch control

SMEG SPA 6/12/2025