


# SI2741DUK



|                       |                                    |
|-----------------------|------------------------------------|
| <b>Product Family</b> | Hob                                |
| <b>Built-in</b>       | Ultra-low profile or Fully Flushed |
| <b>Dimensions</b>     | 70/75 cm                           |
| <b>Power supply</b>   | Electric                           |
| <b>Type</b>           | Induction                          |
| <b>EAN code</b>       | 8017709334413                      |



## Aesthetics




|                                |               |
|--------------------------------|---------------|
| <b>Aesthetics</b>              | Universal     |
| <b>Colour</b>                  | Black         |
| <b>Finishing</b>               | Glass         |
| <b>Material</b>                | Glass         |
| <b>Glass Type</b>              | Ceramic       |
| <b>Glass edge</b>              | Straight edge |
| <b>Type of control setting</b> | Digi Touch    |
| <b>Slider</b>                  | Red           |
| <b>Control knobs position</b>  | Front         |
| <b>Logo</b>                    | Silk screen   |
| <b>Serigraphy colour</b>       | Grey          |

## Program / Functions



|  |                      |
|--|----------------------|
| <b>No. of induction cook zones</b>       | 4                    |
| <b>Time-setting options</b>              | Automatic switch-off |
| <b>No. of cooking zones with booster</b> | 4                    |
| <b>Main on/off switch</b>                | Yes                  |
| <b>Power levels</b>                      | 9                    |
| <b>Total no. of cook zones</b>           | 4                    |

## Options



|                          |                    |                                      |     |
|--------------------------|--------------------|--------------------------------------|-----|
| <b>Standard cut out</b>  | 478-482x555-560 mm | <b>End of cooking acoustic alarm</b> | Yes |
| <b>End cooking timer</b> | 4                  | <b>Residual time indicator</b>       | Yes |
| <b>Minute minder</b>     | 1                  | <b>Control Lock / Child Safety</b>   | Yes |

## Technical Features




Front left - Induction - single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm  
 Rear left - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm  
 Rear right - Induction - single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm  
 Front right - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

|   |               |   |     |
|---|---------------|---|-----|
| <b>Automatic setting according to pan dimension</b> | Yes           | <b>Automatic switch off when overheat</b>     | Yes |
| <b>Automatic pan detection</b>                      | Yes, min 9 cm | <b>Residual heat indicator</b>                | Yes |
| <b>Minimum pan diameter indication</b>              | Yes           | <b>Protection against accidental start up</b> | Yes |

## Electrical Connection

|                               |                         |                                  |          |
|-------------------------------|-------------------------|----------------------------------|----------|
| <b>Nominal power (W)</b>      | 2800 W                  | <b>Frequency (Hz)</b>            | 50/60 Hz |
| <b>Current</b>                | 13 A                    | <b>Power supply cable length</b> | 120 cm   |
| <b>Voltage (V)</b>            | 220-240 V               | <b>Plug</b>                      | No       |
| <b>Type of electric cable</b> | Single and Double phase |                                  |          |



---

## Compatible Accessories

---



### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### SCRP

Induction and ceramic hobs and teppanyaki scraper

## Symbols glossary

|  |   |   |   |
|--|---|---|---|
|  | Power booster: option allows the zone to work at full power when very intense cooking is necessary.                     |  | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.  |
|  | Touch control   |  | CUT_OUT_STANDARD_72dpi  |
|  | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. |  | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.  |
|  | Min diameter pot detection of 9 cm  |  | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |
|  | Time elapsed: shows how long the cooking zone has been in use.  |  | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.  |