

SI2741DUK



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

70/75 cm **Dimensions** Power supply Electric Type Induction

EAN code 8017709334413



Aesthetics



Aesthetics Universal Colour Black Glass **Finishing** Material Glass Glass Type Ceramic Glass edge Straight edge Touch control Type of control setting

Slider Red Control knobs position Front Serigraphy colour Grey

Programs / Functions



No. of induction cook zones

Automatic switch-off Time-setting options

No. of cooking zones with booster 4 Main on/off switch Yes Power levels 9 Total no. of cook zones 4

Options









SMEG SPA 03/12/2024



Standard cut out 478-482x555-560 mm End of cooking acoustic Yes

End cooking timer 4

Minute minder 1 Residual time indicator Yes
Control Lock / Child Yes

Safety

Technical Features







Front left - Induction - single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm Rear left - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Rear right - Induction - single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm

Front right - Induction - single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Automatic setting Yes Automatic switch off Yes

according to pan when overheat

dimension Residual heat indicator Yes
Automatic pan Yes, min 9 cm Protection against Yes

detection accidental start up

Minimum pan diameter Yes

indication


Electrical Connection

Nominal power (W) 2800 W Type of electric cable Single and Double phase

 Current
 13 A
 Frequency (Hz)
 50/60 Hz

 Voltage (V)
 220-240 V
 Power supply cable
 120 cm

length



SMEG SPA 03/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper

SMEG SPA 03/12/2024



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



...



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

SMEG SPA 03/12/2024