

SI2M5643D1



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709337940



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingCompact Lite

Slider Yes
LED colours Red
Control knob position Front
Logo Silk screen
Serigraphy colour Grey

Program / Functions



No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster4No. of Flexible zones2Main on/off switchYesPower levels17Total no. of cook zones4

Options

SMEG SPA 25/11/2025



























Multizone Option Yes Flexible Zone Type Worktop Cut-Out 478-482x555-560 mm

Auto Multizone Yes Yes **Double Booster**

Keep warm automatic function

Yes Grill function End cooking timer 4 Pause option Yes Minute minder 1

End of cooking alarm Residual time indicator Multi7one

Limited Power Si Advance **Consumption Mode**

Limited Power 2400 a 7400 - step 100 W

Yes

Yes

Yes

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Cleaning option Yes Quick start Yes Rapid level selection Yes

Technical Features

















Yes

Yes

Yes

Yes

Front-left - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3.00 kW - Ø 18.0 cm Rear-left - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3.00 kW - Ø 18.0 cm Rear-right - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3.00 kW - Ø 18.0 cm Front-right - Induction - Single - 2.10 kW - Booster 2.50 - 3.00 kW - Double booster 3.00 kW - Ø 18.0 cm

Multizone left - Booster 3.70 kW

Multizone right - Booster 3.70 kW - 36.0x22.0 cm

Automatic settina according to pan dimension

pan detection Yes. min. 9 cm

Permanent Automatic Pot Detection with indication of the relative control

Minimum pan diameter Yes

indication

Automatic switch off

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes Eco-Heat Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection

7400 W

rating (W)

Current 33 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V Type of electric cable Yes, Single phase

installed

Additional connection

modalities Frequency (Hz) Power supply cable

length

Terminal box Plug


Yes, Double and Three

Phase 50/60 Hz 120 cm

5 poles Not present

SMEG SPA 25/11/2025





SMEG SPA 25/11/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

SMEG SPA 25/11/2025



Symbols glossary

Symbols glossary			
Ō	Automatic merge of zones for a bigger area	O	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	/ ⁴⁸ 56	CUT_OUT_STANDARD_72dpi
BOOST	Additional maximum power level for a better energy consumption	ECO HEAT ==-	Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.
į	Grill function	$\stackrel{\mathscr{U}}{\sqcup}$	This function allows you to keep cooked food warm without burner it
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
; ⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility	⊕	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
9cm min	Min diameter pot detection of 9 cm		All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.
Iogic Iogic	Possibility to set the maximum power absorbion of the hob	† P 14 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

SMEG SPA 25/11/2025

Timer: All ceramic hobs have a timer which

automatically ends cooking after a preset time.

Time elapsed: shows how long the cooking zone

has been in use.