

# SI2M7953DW



Product Family Hob

Built-in Ultra-low profile or Fully Flushed

Dimensions 90 cm
Power supply Electric
Type Induction

**EAN code** 8017709274849

### **Aesthetics**





AestheticsUniversalColourWhiteFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingMulti Slider

SliderYesSliderRedControl knobs positionFrontSerigraphy colourWhite

# **Programs / Functions**



Total no. of cook zones 5
No. of induction cook zones 5
No. of cooking zones with booster 5
No. of Flexible zones 2
Main on/off switch Yes
Power levels 14

## **Options**















Multizone Option Yes
Flexible Zone Type MultiZone
Standard cut out 490x880 mm

End cooking timer 5
Pause option Yes
Minute minder 5

End of cooking acoustic Yes

alarm

Residual time indicator Yes Show Room Demo Yes

Option

Control Lock / Child

Safety

Rapid level selection Yes

Yes

Yes

### **Technical Features**













(0)

Yes

Yes

Yes

Yes

Front left - Induction - Multizone - 2.30 kW - Booster 3.20 kW -  $\emptyset$  21 cm Rear left - Induction - multizone - 2.30 kW - Booster 3.20 kW -  $\emptyset$  21 cm

Central - Induction - giant - 1.80 - 2.80 kW - Booster 3.50 - 3.70 kW - Ø 18/28 cm

Front right - Induction - multizone - 2.30 kW - Booster 3.20 kW -  $\emptyset$  21 cm Rear right - Induction - Multizone - 2.30 kW - Booster 3.20 kW -  $\emptyset$  21 cm

39.2x19.5 cm 39.2x19.5 cm

Automatic setting according to pan

dimension Automatic pan

detection

Minimum pan diameter

indication

Automatic switch off

when overheat

Automatic switch off

when overflow

Eco-Heat Yes
Eco-Off Yes

### **Electrical Connection**

Nominal power (W) 7350 W Voltage (V) 220-240 V Voltage 2 (V) 400 V

Type of electric cable Universal

Frequency (Hz)
Power supply cable


length

Terminal Box

50/60 Hz 150 cm

5 poles







### Not included accessories

### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

#### **SCRP**

Induction and ceramic hobs and teppanyaki scraper

#### **LGCN**



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



#### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.



Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.



Giant zone: The giant zone offers extra space and flexibility.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE\_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Premium individual Slider control for each zone