

SI364BM





Product Family Hob
Built-in Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709275884



Aesthetics



AestheticsClassicColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeAngled edgeType of control settingControl knobs

Slider Red
Control knobs position Front
No. of controls 4

Controls colourSteel effectLogoSilk screenSerigraphy colourGrey

Program / Functions



No. of induction cook zones 4
No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options

SMEG SPA 16/11/2025







Limited Power

Limited Power





Standard cut out

478-482x555-560 mm

Consumption Mode

1900, 2600, 3000, 3800,

Consumption Mode in W 4500 W

Control Lock / Child

Safety

Quick start Yes

Technical Features





Front left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Yes

Rear left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Rear right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Yes

Yes

Automatic setting

according to pan

dimension

Automatic pan Yes

detection

Minimum pan diameter

indication

Automatic switch off when overheat

Residual heat indicator

Protection against

accidental start up

Yes

Yes

Yes

Yes

Electrical Connection

Nominal power (W) 7400 W

Current 33 A

Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

Type of electric cable Single phase Type of electric cable

Yes, Double and Three


Phase 50/60 Hz

120 cm

Frequency (Hz) Power supply cable

length

Terminal Box 6 poles



SMEG SPA 16/11/2025



Compatible Accessories

5MP3MB





KITCVRI

Silicon cover kit with tactil indicators of the cooking areas. Accessory for induction hob with knobs SI364BM. Dishwasher safe.






Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.





Induction and ceramic hobs and teppanyaki scraper

SMEG SPA 16/11/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control

SMEG SPA 16/11/2025