

SI4642B





EAN code

Product Family Hob **Traditional** Built-in 60 cm **Dimensions** Power supply Electric Type Induction 8017709288167

Aesthetics





Aesthetics Universal Colour Black Glass **Finishing** Material Glass Glass Type Ceramic Glass edge Angled edge Type of control setting VTC controls

Slider Yes Slider Red Control knobs position Front Serigraphy colour Grey

Program / Functions



No. of induction cook zones 4

Time-setting options Automatic switch-off

No. of cooking zones with booster Main on/off switch Yes Power levels 9

Total no. of cook zones 4

Options

SMEG SPA 23/07/2025













Yes





Standard cut out

Keep warm automatic

function

End cooking timer 1 Pause option Yes Minute minder 1 End of cooking acoustic Yes

alarm

478-482x555-560 mm

Limited Power

Consumption Mode

Residual time indicator

2400, 2800, 3500, 4000, **Limited Power** Consumption Mode in W 4500, 5000, 5500, 6000,

7400 W

Yes advance

Control Lock / Child

Safety

Rapid level selection

Yes

Yes

Yes

Yes

Technical Features











Front left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Rear left - Induction - single - 1.85 kW - Booster 2.10 kW - Ø 16.0 cm Rear right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front right - Induction - single - 1.85 kW - Booster 2.10 kW - Ø 16.0 cm

Yes

Automatic setting according to pan

dimension

Automatic pan Yes, min 7 cm

detection

Permanent Automatic Yes

Pot Detection with indication of the relative

control

Minimum pan diameter Yes

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Nominal power (W) 7400 W

Current 33 A

220-240 V Voltage (V) Voltage 2 (V) 380-415 V Type of electric cable Single phase Type of electric cable

Yes, Double and Three

Phase

Frequency (Hz) Power supply cable

length


Terminal Box

50/60 Hz 120 cm

6 poles

SMEG SPA 23/07/2025





SMEG SPA 23/07/2025



Compatible Accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes

SMEG SPA 23/07/2025



Symbols glossary

1	_	٥	
Ĺ	٠).	ú
1	₹	3	"
_	_	_	_

...



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.





Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



PAUSE_72dpi



Compact Slider intuitive and easy to use



Time elapsed: shows how long the cooking zone has been in use.



SMEG SPA 23/07/2025



Benefit

Induction hobs

Fast cooking and precise temperature control thanks to powerful induction technology

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Immediate access to functions via touch display, for simple and intuitive control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Keep Warm function

With the Keep Warm function, your food stays perfectly heated, ready to serve whenever you are

Nine power levels and Boost function for optimal cooking performance

Permanent Automatic Pot Detection

Autopot detection knows exactly where your pot is and activates the right zone instantly for effortless precision, every time

SMEG SPA 23/07/2025