

# SI5322B





**Product Family** 

Built-in type Ultra-low profile

Hob

Dimensions 30 cm
Power supply Electric
Type Induction

**EAN code** 8017709193386



#### **Aesthetics**



**Aesthetic** Universale Colour Black Glass Finishing Material Glass Glass type Ceramic Glass edge Angled edge Type of control setting Digi Touch LED colours Red Control knob position Front Logo Silk screen Serigraphy colour Grey

### **Program / Functions**



No. of induction cook zones 2
No. of cooking zones with booster 2
Main on/off switch Yes
Power levels 9
Total no. of cook zones 2

### **Options**











SMEG SPA 27/11/2025



Worktop Cut-Out 490x270 mm Residual time indicator Yes 2 End cooking timer Control Lock / Child Yes Safety Minute minder 1 Quick start Yes End of cooking alarm Yes

### **Technical Features**





Front-centre - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm Rear-centre - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

**Automatic** setting according to pan dimension pan detection Yes Minimum pan diameter Yes

indication

Automatic switch off when overheat

Residual heat indicator Yes **Protection against** Yes

accidental start up

### **Electrical Connection**

**Electrical connection** 3500 W

rating (W)

Current 16 A Voltage (V) 220-240 V Type of electric cable Yes, Single phase


installed

Frequency (Hz) 50/60 Hz Power supply cable 120 cm

length

Plug Not present

Yes



**SMEG SPA** 27/11/2025



## **Compatible Accessories**



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs





Stainless steel grill plate to cook Teppanyaki dishes

SMEG SPA 27/11/2025



### Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control

SMEG SPA 27/11/2025