

# SI5632D



## Product Family

Built-in type	Ultra-low profile or Fully Flushed
Dimensions	60 cm
Power supply	Electric
Type	Induction
EAN code	8017709262976



## Aesthetics



Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Type of control setting	Digi Touch
LED colours	Red
Control knob position	Front
Logo	Silk screen
Serigraphy colour	Grey

## Program / Functions



No. of induction cook zones	3
No. of cooking zones with booster	3
Main on/off switch	Yes
Power levels	14
Total no. of cook zones	3

## Options



<b>Worktop Cut-Out</b>	490x560 mm	<b>Residual time indicator</b>	Yes
<b>End cooking timer</b>	3	<b>Limited Power</b>	Yes
<b>Pause option</b>	Yes	<b>Consumption Mode</b>	
<b>Minute minder</b>	3	<b>Limited Power</b>	1500, 2000, 2500, 3000,
<b>End of cooking alarm</b>	Yes	<b>Consumption Mode in W</b>	3500, 4000, 4500, 5000, 6000, 7200 W
		<b>Showroom Demo Option</b>	Yes
		<b>Control Lock / Child Safety</b>	Yes

## Technical Features



Front-left - Induction - Single - 2.30 kW - Booster 3.70 kW - Ø 21 cm


Rear-left - Induction - Single - 1.40 kW - Booster 2.50 kW - Ø 14.5 cm

Front-right - Induction - Giant - 1.80 - 2.80 kW - Booster 3.50 - 3.60 kW - Ø 18/28 cm

<b>Automatic setting according to pan dimension</b>	Yes	<b>Automatic switch off when overflow</b>	Yes
<b>pan detection</b>	Yes	<b>Eco-Heat</b>	Yes
<b>Minimum pan diameter indication</b>	Yes	<b>Eco-Off</b>	Yes
<b>Automatic switch off when overheat</b>	Yes		

## Electrical Connection

<b>Electrical connection rating (W)</b>	7200 W	<b>Power supply cable length</b>	150 cm
<b>Voltage (V)</b>	220-240 V	<b>Terminal box</b>	5 poles
<b>Type of electric cable installed</b>	Yes, Single phase	<b>Plug</b>	Not present
<b>Frequency (Hz)</b>	50/60 Hz		



---

## Compatible Accessories

---



**SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

## Symbols glossary

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	Touch control		Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.
	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.		Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.
	Giant zone: The giant zone offers extra space and flexibility.		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		