

SI5633D




Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709348861



Aesthetics

AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Gas_replacementYesType of control settingPentaLED coloursRedControl knob positionFrontSerigraphy colourGrey

Program / Functions



No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster3Main on/off switchYesPower levels12Total no. of cook zones3

Options











Worktop Cut-Out 478-482x555-560 mm

Residual time indicator Yes



End cooking timer 3 Limited Power Yes
Minute minder 1 Consumption Mode

End of cooking alarm Yes Control Lock / Child Yes

Safety

Technical Features



indication





Centre-left - Induction - Single - 2.70 kW - Booster 3.60 kW - Ø 28.0 cm Rear-right - Induction - Single - 1.50 kW - Booster 2.00 kW - Ø 21.0 cm Front-right - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Automatic setting Yes Automatic switch off Yes

according to pan when overheat dimension Residual heat indicator

dimensionResidual heat indicatorYespan detectionYes, min. 9 cmProtection againstYes

Minimum pan diameter Yes accidental start up

Electrical Connection


Electrical connection 7200 W Additional connection Yes, Double and Three

rating (W) modalities Phase
Current 32 A Frequency (Hz) 50/60 Hz

Voltage (V) 220-240 V Power supply cable 120 cm Voltage 2 (V) 380-415 V length

Type of electric cable Yes, Single phase Plug Not present

installed





Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Min diameter pot detection of 9 cm



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.