

# SI564DUK




**Product Family** 

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

**EAN code** 8017709257415



## **Aesthetics**



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edgeType of control settingTouch control

Control knobs position Front
Serigraphy colour Grey

## **Program / Functions**



No. of induction cook zones 4
No. of cooking zones with booster 4
Main on/off switch Yes
Power levels 9
Total no. of cook zones 4

## **Options**













Standard cut out

478-482x555-560 mm

Limited Power Consumption Mode Yes



End cooking timer 4 Limited Power 3000, 4500 W

Yes

Minute minder 4 Consumption Mode in W

End of cooking acoustic Yes Control Lock / Child alarm Safety

Residual time indicator Yes Rapid level selection Yes

## **Technical Features**



indication

Front left - Induction - single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm Rear left - Induction - single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm Rear right - Induction - single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm

Front right - Induction - single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm

Automatic setting Yes Automatic switch off Yes according to pan when overheat dimension Residual heat indicator Yes


Automatic pan Yes Protection against Yes detection accidental start up

Minimum pan diameter Yes

### **Electrical Connection**

Nominal power (W) 3000 W Frequency (Hz) 50/60 Hz
Current 13 A Power supply cable 120 cm
Voltage (V) 220-240 V length

Type of electric cable Single phase Terminal Box 6 poles
Plug UK





# **Compatible Accessories**



### **SCRP**

Induction and ceramic hobs and teppanyaki scraper



#### **TPK**

Stainless steel grill plate to cook Teppanyaki dishes



## Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT\_OUT\_STANDARD\_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Touch control



## Benefit

#### Induction hobs

Fast cooking and precise temperature control thanks to powerful induction technology

Immediate access to functions via touch display, for simple and intuitive control

Energy consumption optimizsation with Eco-Logic Advance, allowing absorption limitation from 2.4 kW in 0.1 kW steps, reducing waste and lowering your electricity usage

Nine power levels and Boost function for optimal cooking performance