


SI564DUK



| | |
|----------------|------------------------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile or Fully Flushed |
| Dimensions | 60 cm |
| Power supply | Electric |
| Type | Induction |
| EAN code | 8017709257415 |



Aesthetics



| | |
|-------------------------|---------------|
| Aesthetic | Universale |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass type | Ceramic |
| Glass edge | Straight edge |
| Type of control setting | Digi Touch |
| Control knob position | Front |
| Serigraphy colour | Grey |

Programs / Functions



| | |
|-----------------------------------|-----|
| Total no. of cook zones | 4 |
| No. of induction cook zones | 4 |
| No. of cooking zones with booster | 4 |
| Main on/off switch | Yes |
| Power levels | 9 |


Options



| | | | |
|-------------------|--------------------|--------------------------------|-----|
| Worktop Cut-Out | 478-482x555-560 mm | Limited Power Consumption Mode | Yes |
| End cooking timer | 4 | | |

| | | | |
|--------------------------------|-----|------------------------------------|--------------|
| Minute minder | 4 | Limited Power | 3000, 4500 W |
| End of cooking alarm | Yes | Consumption Mode in W | |
| Residual time indicator | Yes | Control Lock / Child Safety | Yes |
| | | Rapid level selection | Yes |

Technical Features



Front-left - Induction - Single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm

Rear-left - Induction - Single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm


Rear-right - Induction - Single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm

Front-right - Induction - Single - 1.40 kW - Booster 1.40 kW - Ø 18.0 cm

| | | | |
|---|-----|---|-----|
| Automatic setting according to pan dimension | Yes | Automatic switch off when overheat | Yes |
| pan detection | Yes | Residual heat indicator | Yes |
| Minimum pan diameter indication | Yes | Protection against accidental start up | Yes |

Electrical Connection

| | | | |
|---|-------------------|----------------------------------|----------|
| Electrical connection rating (W) | 3000 W | Frequency (Hz) | 50/60 Hz |
| Current | 13 A | Power supply cable length | 120 cm |
| Voltage (V) | 220-240 V | Terminal box | 6 poles |
| Type of electric cable supplied | Yes, Single phase | Plug | UK |



Not included accessories



SCRP












Non-scratch hob scraper - suitable for induction and ceramic hobs



TPK

Stainless steel grill plate to cook Teppanyaki dishes

Symbols glossary (TT)

| | |
|---|---|
|  <p>Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p> |  <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p> |
|  <p>Touch control</p> |  <p>CUT_OUT_STANDARD_72dpi</p> |
|  <p>ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.</p> |  <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p> |
|  <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p> |  <p>Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).</p> |
|  <p>Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.</p> |  <p>Time elapsed: shows how long the cooking zone has been in use.</p> |
|  <p>Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.</p> | |