

SI7633B1



| | |
|----------------|-------------------|
| Product Family | Hob |
| Built-in | Ultra-low profile |
| Dimensions | 60 cm |
| Power supply | Electric |
| Type | Induction |
| EAN code | 8017709335946 |




Aesthetics



| | |
|-------------------------|---------------------|
| Aesthetics | Universal |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass Type | Ceramic |
| Glass edge | Bevelled Front Edge |
| Type of control setting | Multi Slider |
| Slider | Yes |
| Slider | Red |
| Control knobs position | Front |
| Logo | Silk screen |
| Serigraphy colour | Grey |

Program / Functions



| | |
|-----------------------------------|-----|
| No. of induction cook zones | 3 |
| No. of cooking zones with booster | 3 |
| Main on/off switch | Yes |
| Power levels | 14 |
| Auto-Vent | Yes |
| Total no. of cook zones | 3 |

Options



| | | | |
|--------------------------------------|------------|------------------------------------|-----|
| Standard cut out | 490x560 mm | Residual time indicator | Yes |
| End cooking timer | 3 | Show Room Demo Option | Yes |
| Pause option | Yes | Control Lock / Child Safety | Yes |
| Minute minder | 3 | Rapid level selection | Yes |
| End of cooking acoustic alarm | Yes | | |

Technical Features




Front left - Induction - single - 2.30 kW - Booster 3.70 kW - 21 cm
 Rear left - Induction - single - 1.40 kW - Booster 2.50 kW - 14,5 cm
 Front right - Induction - giant - 1.80 - 2.80 kW - Booster 3.50 - 5.20 kW - 18/28 cm

| | | | |
|---|-----|---|-----|
| Automatic setting according to pan dimension | Yes | Automatic switch off when overflow | Yes |
| Automatic pan detection | Yes | Eco-Heat | Yes |
| Minimum pan diameter indication | Yes | Eco-Off | Yes |
| Automatic switch off when overheat | Yes | | |

Electrical Connection

| | | | |
|-------------------------------|--------------|----------------------------------|---------|
| Nominal power (W) | 7350 W | Power supply cable length | 150 cm |
| Voltage (V) | 220 - 240 V | Terminal Box | 6 poles |
| Type of electric cable | Single phase | Plug | No |
| Frequency (Hz) | 50/60 Hz | | |



Compatible Accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



TPKPLATE






Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper

Symbols glossary

| | |
|---|---|
|  <p>A smart infrared system, which allows a hood and hob with this feature to work together.</p> |  <p>Power booster: option allows the zone to work at full power when very intense cooking is necessary.</p> |
|  <p>Ultra-low profile: Installation of product with flat edge - height of 1 mm.</p> |  <p>Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.</p> |
|  <p>Premium individual Slider control for each zone</p> |  <p>The slider control panel allows you to adjust the power simply by passing your finger across the touch device.</p> |
|  <p>Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.</p> |  <p>Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.</p> |
|  <p>Giant zone: The giant zone offers extra space and flexibility.</p> |  <p>Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.</p> |
|  <p>Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.</p> |  <p>Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.</p> |
|  <p>PAUSE_72dpi</p> |  <p>Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).</p> |
|  <p>Time elapsed: shows how long the cooking zone has been in use.</p> |  <p>Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.</p> |