

SI764AOM





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709275846



Aesthetics



AestheticCortinaColourAnthraciteMaterialVerniciatoFrameYes

Frame colour Anthracite
Type of control setting Control knobs

LED colours Red
Control knob position Front
No. of controls 4

Controls colourAntique brassComponents finishingAntique brassLogoSilk screenSerigraphy colourGoldAlternative colours availableCream

Program / Functions



No. of induction cook zones 4
No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options











Worktop Cut-Out

478-482x555-560 mm

Yes

Yes

Limited Power Consumption Mode

Quick start

Limited Power 1900, 2600, 3000, 3800,

Yes

Consumption Mode in W 4500 W

Safety

Control Lock / Child

Technical Features





Front-left - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Rear-left - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Automatic setting according to pan

Yes

Yes

Automatic switch off when overheat

Yes

dimension pan detection Yes Residual heat indicator

Yes Yes

Yes, Double and Three

Minimum pan diameter

indication

Protection against accidental start up

Accessories included

Other accessories Colonial control knobs

Electrical Connection

7400 W **Electrical connection**

rating (W)

Current 33 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Yes, Single phase

installed


Additional connection

modalities Phase 50/60 Hz Frequency (Hz) Power supply cable 120 cm

length

Terminal box 6 poles Plug Not present







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm





Non-scratch hob scraper - suitable for induction and ceramic hobs



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Alternative products



SI764POM
Colour: Cream



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control