

SI764AOM





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709275846



Aesthetics



AestheticCortinaColourAnthraciteMaterialVerniciatoFrameYes

Frame colour Anthracite
Type of control setting Control knobs

LED colours Red
Control knob position Front
No. of controls 4

Controls colourAntique brassComponents finishingAntique brass

Serigraphy colour Gold
Alternative colours available Cream

Program / Functions



No. of induction cook zones 4
No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options











Worktop Cut-Out **Limited Power**

478-482x555-560 mm

Safety

Quick start

Yes

Yes

Consumption Mode

Limited Power

1900, 2600, 3000, 3800,

Consumption Mode in W 4500 W

Control Lock / Child

Technical Features





Front-left - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Automatic setting

Yes

Yes

Automatic switch off when overheat

Yes

according to pan

dimension

Residual heat indicator

Yes

pan detection Yes Minimum pan diameter

Yes

Protection against accidental start up Yes

indication

Accessories included

Other accessories Colonial control knobs

Electrical Connection

Plug Not present **Electrical connection** 7400 W

rating (W)

Current 33 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable

installed

Additional connection modalities

Frequency (Hz) Power supply cable

length

Terminal box


Yes, Single phase

Yes, Double and Three

Phase 50/60 Hz 120 cm

6 poles







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control



Benefit (TT)

Induction hobs

Fast cooking and precise temperature control

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Energy consumption optimization with Eco-Logic Advance, allowing absorption limitation from $2.4~\mathrm{kW}$ in $0.1~\mathrm{kW}$ steps

Nine power levels and Boost function for optimal cooking performance