

SI764AOM





EAN code

Product Family Hob Built-in type **Traditional** 60 cm **Dimensions** Power supply Electric Type Induction 8017709275846

Aesthetics



Aesthetic Cortina Colour Anthracite Material Verniciato Yes Frame

Frame colour Anthracite Control knobs Type of control setting

LED colours Red Control knob position Front No. of controls 4

Controls colour Antique brass Components finishing Antique brass Silk screen Logo Serigraphy colour Gold Alternative colours available Cream

Program / Functions



No. of induction cook zones 4 No. of cooking zones with booster Power levels 9 Total no. of cook zones

Options











Worktop Cut-Out

478-482x555-560 mm

Safety

Yes

Limited Power Consumption Mode

Limited Power

1900, 2600, 3000, 3800,

Consumption Mode in W 4500 W

Quick start Yes

Control Lock / Child

Technical Features





Front-left - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Automatic setting

Yes

Yes

Automatic switch off

Yes

according to pan

when overheat

dimension pan detection

Yes Yes

Residual heat indicator

Yes Yes

Minimum pan diameter

indication

Protection against accidental start up

Accessories included

Other accessories Colonial control knobs

Electrical Connection

Electrical connection

7400 W

rating (W)

Current

33 A

Voltage (V)

220-240 V

Yes, Single phase

Voltage 2 (V) Type of electric cable 380-415 V

modalities

Additional connection

Frequency (Hz)

Power supply cable

length

Terminal box

Yes, Double and Three

Phase


50/60 Hz 120 cm

6 poles Not present

installed

Plug







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm





Non-scratch hob scraper - suitable for induction and ceramic hobs



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Alternative products



SI764POM
Colour: Cream



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control