

SI764POM





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709275853



Aesthetics



AestheticCortinaColourCreamMaterialVerniciatoFrameYesFrame colourCream

Type of control setting Control knobs

LED colours Red
Control knob position Front
No. of controls 4

Controls colourAntique brassComponents finishingAntique brassLogoSilk screenSerigraphy colourGoldAlternative colours availableAnthracite

Program / Functions



No. of induction cook zones 4
No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options











Worktop Cut-Out

478-482x555-560 mm

Safety

Limited Power Consumption Mode

Quick start

Control Lock / Child

Yes Yes

Limited Power

1900, 2600, 3000, 3800,

Consumption Mode in W 4500 W

Technical Features





Front-left - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Rear-right - Induction - Single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Automatic setting

Yes

Yes

Automatic switch off

Yes

according to pan dimension

when overheat

pan detection

Yes Yes

Residual heat indicator

Yes Yes

Minimum pan diameter

indication

Protection against accidental start up

Accessories included

Other accessories Colonial control knobs

Electrical Connection

Electrical connection

rating (W) Current

33 A

Voltage (V) Voltage 2 (V)

Type of electric cable

installed

7400 W

220-240 V

380-415 V

Yes, Single phase

Additional connection

modalities

Frequency (Hz)

Power supply cable

length

Terminal box

Plug

Yes, Double and Three


Phase

50/60 Hz 120 cm

6 poles

Not present







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm





Non-scratch hob scraper - suitable for induction and ceramic hobs



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Alternative products



SI764AOM
Colour: Anthracite



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Knobs control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.