

SI964XM





Product Family Hob
Built-in Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709275839



Aesthetics



Aesthetics Victoria
Colour Stainless steel
Material Stainless Steel

Frame Yes

Frame colour Steel effect
Type of control setting Control knobs

Slider Red
Control knobs position Front
No. of controls 4
Controls colour Chrome
Serigraphy colour Black

Alternative colours available White, Stainless steel, Cream

Program / Functions



No. of induction cook zones 4
No. of cooking zones with booster 4
Power levels 9
Total no. of cook zones 4

Options











Standard cut out 478-482x555-560 mm

Limited Power Yes

Consumption Mode

Limited Power 1900, 2600, 3000, 3800,

Consumption Mode in W 4500 W

Control Lock / Child

Safety

Quick start Yes

Yes

Technical Features





Front left - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Rear left - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm Rear right - Induction - single - 2.30 kW - Booster 3.00 kW - Ø 21.0 cm Front right - Induction - single - 1.30 kW - Booster 1.40 kW - Ø 16.0 cm

Yes

Automatic setting according to pan

dimension

Automatic pan

detection

Minimum pan diameter Yes

indication

Automatic switch off when overheat

Residual heat indicator

Protection against

accidental start up

Electrical Connection

Nominal power (W) 7400 W

Current 33 A

Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

Type of electric cable Single phase Type of electric cable

Yes, Double and Three

Phase

Yes

Yes


Yes

Frequency (Hz) Power supply cable

length

50/60 Hz 120 cm

Terminal Box 6 poles





Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Knobs control



Benefit

Induction hobs

Fast cooking and precise temperature control thanks to powerful induction technology

Inox

Maximum resistance even at high temperatures: the stainless steel surface ensures durability and deformation resistance, withstanding thermal shocks without damage

Accurate power adjustment via control knobs, for more precise cooking control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Energy consumption optimizsation with Eco-Logic Advance, allowing absorption limitation from 2.4 kW in 0.1 kW steps, reducing waste and lowering your electricity usage

Nine power levels and Boost function for optimal cooking performance