

SIA1963DS



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions 90 cm Power supply Electric Induction Type

EAN code 8017709304041



Aesthetics







Aesthetic Linea Colour Silver **Finishing** Glass Material Glass

Glass type 'Glassy' ceramic Glass edge Straight edge Type of control setting Vivo Screen Max

Slider Yes Slider **TFT** Control knob position Front Serigraphy colour Grey Alternative colours available Black

Options

























Multizone Option Yes Flexible Zone Type AreaZone Standard cut out 500-916 mm

Multizone Option Yes **Auto-boiling Function** Yes Simmering Function Yes

Keep warm automatic function

Yes

Minute minder

Yes End of cooking alarm Residual time indicator Yes Advanced Eco Logic

Limited Power Consumption Mode Limited Power

2400 a 11100 - step 100

1

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

SMEG SPA 21/12/2024



Melting/Low Yes

temperature cooking

function

End cooking timer 6 Pause option Yes Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features









Central - Induction - Multizone - 2.40 kW - Booster 3.70 kW - 84.0x40.0 cm

Yes

Yes

Yes

Automatic setting

according to pan

dimension

pan detection Si, min 10 cm

Permanent Automatic

Pot Detection with

indication of the relative

control

Automatic switch off

when overheat

Automatic switch off when overflow

Residual heat indicator Yes

Protection against accidental start up Yes

Yes

Electrical Connection

Electrical connection 11100 W

rating (W)

Current 49 A

220-240 V Voltage (V) Voltage 2 (V) 380-415 V

Type of electric cable Three-phase Type of electric cable

Type of electric cable

supplied

Frequency (Hz) Power supply cable

length

Terminal box


Single and Double phase

Yes, Single and Double

phase 50/60 Hz

120 cm

5 poles



SMEG SPA 21/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPK



Stainless steel grill plate to cook Teppanyaki dishes



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 21/12/2024



Symbols glossary (TT)

VIVO screen

colours

7 inches TFT touch, high resolution display, true

O	Automatic merge of zones for a bigger area	O	
"	Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.	P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.
<u>"</u>	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	亡	Melting function, suitable for slowly melting delicate foods such as chocolate or butter.
<u></u>	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.	(1)	PAUSE_72dpi
† P 14 10 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).	4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.	<i>""</i>	Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.
()	Time elapsed: shows how long the cooking zone has been in use.	()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	ECO logic	

SMEG SPA 21/12/2024

Elegant silver or black glass with under glass

and no noise to the surface

serigraphy which allows smoothness, briliance