

SIB2641D



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions60 cmPower supplyElectricTypeInduction

EAN code 8017709326951



Aesthetics



AestheticUniversaleColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Gas_replacement Yes

Type of control setting Digi Touch
LED colours Red
Control knob position Front
Logo Serigraphy colour Grey

Program / Functions



No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster 4
No. of Flexible zones 2
Main on/off switch Yes
Power levels 9
Total no. of cook zones 4

Options















Bridge

Flexible Zone Type

Worktop Cut-Out 478-482x555-560 mm

End cooking timer 4 Minute minder 1 End of cooking alarm Yes Residual time indicator

Limited Power **Consumption Mode**

Control Lock / Child

Safety

Bridge option Yes

Yes

Yes

Yes

Yes

Yes

Technical Features







Front-left - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Rear-left - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

Rear-right - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

Front-right - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

Booster power left Bridge

Booster power right

3.00 kW

3.00 kW

Bridge

Automatic setting according to pan

dimension

Yes

pan detection Yes, min. 9 cm Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection

rating (W)

Current 32 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

Type of electric cable

installed

7200 W

Yes, Single phase

Additional connection

modalities Frequency (Hz) Power supply cable

length


Plug

Yes, Double and Three

Phase 50/60 Hz 120 cm

Not present







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Min diameter pot detection of 9 cm



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi