

SIB2741D



Product Family

Built-in Ultra-low profile or Fully Flushed

Hob

Dimensions70/75 cmPower supplyElectricTypeInduction

EAN code 8017709326968



Aesthetics



AestheticsUniversalColourBlackFinishingGlassMaterialGlassGlass TypeCeramicGlass edgeStraight edge

Gas_replacement Yes

Type of control setting Digi Touch
Slider Red
Control knobs position Front
Logo Silk screen
Serigraphy colour Grey

Program / Functions



No. of induction cook zones

Time-setting options Automatic switch-off

No. of cooking zones with booster 4
No. of Flexible zones 2
Main on/off switch Yes
Power levels 9
Total no. of cook zones 4

Options















Bridge

Flexible Zone Type

Standard cut out 478-482x555-560 mm

End cooking timer 4 Minute minder 1 End of cooking acoustic Yes

alarm

Residual time indicator Limited Power

Consumption Mode

Limited Power 1000, 1600, 2200, 2800, Consumption Mode in W 3500, 6000, 7200 W

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Control Lock / Child Yes

Safety

Bridge option

Technical Features







Front left - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Rear left - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Rear right - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Front right - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

Booster power left

3,00 kW

Minimum pan diameter

indication

Booster power right

3,00 kW

Yes, min 9 cm

when overheat

Multizone Automatic setting

according to pan

Yes

Residual heat indicator **Protection against**

Automatic switch off

accidental start up

dimension

Multizone

Automatic pan

detection

Electrical Connection

Nominal power (W) 7200 W Current 32 A

Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Single phase

Type of electric cable Yes, Double and Three


Phase

Frequency (Hz) Power supply cable

length

50/60 Hz 120 cm







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Induction and ceramic hobs and teppanyaki scraper



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Min diameter pot detection of 9 cm



Touch control