


# SIB2741D



|                |                                    |
|----------------|------------------------------------|
| Product Family | Hob                                |
| Built-in       | Ultra-low profile or Fully Flushed |
| Dimensions     | 70/75 cm                           |
| Power supply   | Electric                           |
| Type           | Induction                          |
| EAN code       | 8017709326968                      |



## Aesthetics



|                         |               |
|-------------------------|---------------|
| Aesthetics              | Universal     |
| Colour                  | Black         |
| Finishing               | Glass         |
| Material                | Glass         |
| Glass Type              | Ceramic       |
| Glass edge              | Straight edge |
| Type of control setting | Touch control |
| Slider                  | Red           |
| Control knobs position  | Front         |
| Serigraphy colour       | Grey          |

## Options



|                               |                    |                             |                         |
|-------------------------------|--------------------|-----------------------------|-------------------------|
| Flexible Zone Type            | Bridge             | Residual time indicator     | Yes                     |
| Standard cut out              | 478-482x555-560 mm | Limited Power               | Yes                     |
| End cooking timer             | 4                  | Consumption Mode            |                         |
| Minute minder                 | 1                  | Limited Power               | 1000, 1600, 2200, 2800, |
| End of cooking acoustic alarm | Yes                | Consumption Mode in W       | 3500, 6000, 7200 W      |
|                               |                    | Control Lock / Child Safety | Yes                     |
|                               |                    | Bridge option               | Yes                     |

## Technical Features




Front left - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm  
 Rear left - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm  
 Rear right - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm  
 Front right - Induction - single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

|   |               |   |     |
|---|---------------|---|-----|
| <b>Booster power left Multizone</b>                 | 3.00 kW       | <b>Minimum pan diameter indication</b>        | Yes |
| <b>Booster power right Multizone</b>                | 3.00 kW       | <b>Automatic switch off when overheat</b>     | Yes |
| <b>Automatic setting according to pan dimension</b> | Yes           | <b>Residual heat indicator</b>                | Yes |
| <b>Automatic pan detection</b>                      | Yes, min 9 cm | <b>Protection against accidental start up</b> | Yes |

## Electrical Connection

|                          |           |                                  |                             |
|--------------------------|-----------|----------------------------------|-----------------------------|
| <b>Nominal power (W)</b> | 7200 W    | <b>Type of electric cable</b>    | Single phase                |
| <b>Current</b>           | 32 A      | <b>Type of electric cable</b>    | Yes, Double and Three Phase |
| <b>Voltage (V)</b>       | 220-240 V | <b>Frequency (Hz)</b>            | 50/60 Hz                    |
| <b>Voltage 2 (V)</b>     | 380-415 V | <b>Power supply cable length</b> | 120 cm                      |



---

## Not included accessories

---



### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### TPKPLATE













Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### SCRP

Induction and ceramic hobs and teppanyaki scraper

## Symbols glossary

|   |   |  |  |
|---|---|--|--|
|   | Power booster: option allows the zone to work at full power when very intense cooking is necessary.   |   | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.   |
|   | CUT_OUT_STANDARD_72dpi  |   | ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.  |
|   | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.   |   | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob. |
|   | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. |   | Time elapsed: shows how long the cooking zone has been in use.   |
|   | Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.  |   | TWIN_ZONE_72dpi  |
|  | ...   |  | Touch control  |