

SIB2741D



Product Family Hob

Ultra-low profile or Fully Flushed Built-in type

70/75 cm **Dimensions** Power supply Electric Induction Type

EAN code 8017709326968



Aesthetics



Aesthetic Universale Colour Black **Finishing** Glass Material Glass Glass type Ceramic Straight edge Glass edge Type of control setting Digi Touch

LED colours Red Control knob position Front Serigraphy colour Grey

Options













Flexible Zone Type

Worktop Cut-Out End cooking timer

Minute minder End of cooking alarm

478-482x555-560 mm

4 1 Yes Residual time indicator Yes **Limited Power** Yes

Consumption Mode

Limited Power Consumption Mode in W 3500, 6000, 7200 W

Control Lock / Child

Safety

Bridge option

1000, 1600, 2200, 2800,

Yes

Yes

Technical Features

SMEG SPA 27/12/2024










Front-left - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Rear-left - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Rear-right - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm Front-right - Induction - Single - 1.70 kW - Booster 2.10 kW - Ø 18.0 cm

Booster power left 3.00 kW Minimum pan diameter Yes Bridge indication Booster power right Automatic switch off 3.00 kW Yes Bridge when overheat **Automatic setting** Yes Residual heat indicator Yes according to pan **Protection against** Yes dimension accidental start up pan detection Yes, min 9 cm

Electrical Connection

Plug Not present Type of electric cable Yes, Single phase installed **Electrical connection** 7200 W Additional connection rating (W) Yes, Double and Three modalities Phase Current 32 A Frequency (Hz) 50/60 Hz Voltage (V) 220-240 V 120 cm Power supply cable Voltage 2 (V) 380-415 V length



SMEG SPA 27/12/2024



Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 27/12/2024



Symbols glossary (TT)



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Min diameter pot detection of 9 cm



Touch control

SMEG SPA 27/12/2024