

# SIH7933B



Product Family	Hob
Built-in	Ultra-low profile
Dimensions	90 cm
Power supply	Electric
Type	Induction
EAN code	8017709254919



## Aesthetics



Aesthetics	Universal
Colour	Black
Finishing	Glass
Material	Glass
Glass Type	Ceramic
Glass edge	Bevelled Front Edge
Type of control setting	Multi Slider
Slider	Yes
Slider	Red
Control knobs position	Front
Serigraphy colour	Grey

## Programs / Functions



Total no. of cook zones	3
No. of induction cook zones	3
No. of cooking zones with booster	3
Main on/off switch	Yes
Power levels	14
Auto-Vent	Yes

## Options



Standard cut out	380x880 mm
End cooking timer	3
Pause option	Yes
Minute minder	3
End of cooking acoustic alarm	Yes
Residual time indicator	Yes

Limited Power Consumption Mode	Yes advance
Limited Power Consumption Mode in W	1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 6000, 7200 W
Show Room Demo Option	Yes
Control Lock / Child Safety	Yes
Rapid level selection	Yes

## Technical Features




Front left - Induction - single - 2.30 kW - Booster 3.20 kW - Ø 21 cm  
 Central - Induction - single - 2.30 kW - Booster 3.20 kW - Ø 21 cm  
 Front right - Induction - single - 2.30 kW - Booster 3.20 kW - Ø 21 cm

Automatic setting according to pan dimension	Yes	Automatic switch off when overflow	Yes
Automatic pan detection	Yes	Eco-Heat	Yes
Minimum pan diameter indication	Yes	Eco-Off	Yes
Automatic switch off when overheat	Yes		

## Electrical Connection

Nominal power (W)	6800 W	Type of electric cable	Universal
Current	32 A	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	150 cm
Voltage 2 (V)	400 V	Terminal Box	5 poles



---

## Not included accessories

---



### SCRP

Induction and ceramic hobs and teppanyaki scraper



### TPK

















Stainless steel grill plate to cook Teppanyaki dishes



### LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm

## Symbols glossary

	A smart infrared system, which allows a hood and hob with this feature to work together.		Power booster: option allows the zone to work at full power when very intense cooking is necessary.
	Ultra-low profile: Installation of product with flat edge - height of 1 mm.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Eco-Heat: this function warns when the zone is still hot after being switched off. As well as ensuring maximum safety by preventing burns, this also allows you to make use of residual heat to continue cooking or keep foods hot.
	Eco-Off: This energy-saving function shuts the zone down before the timer sounds, making use of the residual heat in the pan.		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	PAUSE_72dpi		Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
	Time elapsed: shows how long the cooking zone has been in use.		Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	...		Premium individual Slider control for each zone