

SIM1964D



Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions90 cmPower supplyElectricTypeInduction

EAN code 8017709309756



Aesthetics







AestheticLineaColourBlackFinishingGlassMaterialGlass

Glass type 'Glassy' ceramic
Glass edge Straight edge
Type of control setting Multi Slider

SliderYesLED coloursWhiteControl knob positionFrontSerigraphy colourGrey

Program / Functions





No. of induction cook zones 6

Time-setting options Spegnimento automatico

No. of cooking zones with booster 6
No. of Flexible zones 3

Main on/off switch

Power levels

Auto-vent 2.0

Total no. of cook zones

Yes

6



Options





















Multizone Option Yes Flexible Zone Type MultiZone Worktop Cut-Out 490x880 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes function

Grill function Yes End cooking timer Pause option Yes Minute minder

End of cooking alarm Yes Residual time indicator Yes

Limited Power Si Advance Consumption Mode

Limited Power 2400 a 11100 - step 100

Yes

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option si-AUTO **Ouick start** Yes Rapid level selection Yes

Technical Features











Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm

Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm Front-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm Regr-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm

Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 22.0x18.0 cm

38.5x23.0 cm 38.5x23.0 cm

38.5x23.0 cm

Automatic setting according to pan

dimension

pan detection

Permanent Automatic Pot Detection with indication of the relative control

Automatic switch off when overheat

Yes

Yes, min 9 cm

Yes

Yes

Automatic switch off

when overflow

Residual heat indicator Yes Protection against Yes

accidental start up

Electrical Connection

Plug Not present 11100 W **Electrical connection** rating (W)

Current 49 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V Additional connection modalities

Type of electric cable supplied

Frequency (Hz) Power supply cable

length

Yes, Single and Double phase

Yes, Single and Double


phase 50/60 Hz 120 cm

Terminal box 5 poles



Type of electric cable installed

Yes, Three-phase





Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

| Ō | Automatic merge of zones for a bigger area | O | Permanent auto pot detection |
|------------------------|--|-----------|---|
| P | Power booster: option allows the zone to work at full power when very intense cooking is necessary. | δ | Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed. |
| 9 | The slider control panel allows you to adjust the power simply by passing your finger across the touch device. | ₩ | This function allows you to keep cooked food warm without burner it |
| STOP °C∓ | Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit. | | Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob. |
| ‡⊙ | Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility | | Connection between hob and hood |
| Ē | Grill function | MULTI | Premium individual Slider control for each zone |
| | Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids. | | All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated. |
| † P 14 110 15 | Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth). | * | Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached. |
| Н | Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out. | <u>()</u> | Time elapsed: shows how long the cooking zone has been in use. |
| (~) | Timer: All ceramic hobs have a timer which | (9cm) | Min diameter pot detection of 9 cm |

automatically ends cooking after a preset time.

Possibility to set the maximum power absorbion

Elegant silver or black glass with under glass serigraphy which allows smoothness, briliance

and no noise to the surface

of the hob

SMEG SPA 27/7/2025

Additional maximum power level for a better

energy consumption



Benefit (TT)

Induction hobs

Fast cooking and precise temperature control

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Glassy

Elegant aesthetics with Glassy glass, glossy and transparent in a black undertone

Precise and versatile cooking with Multi Slider controls and white LEDs, combining functionality with minimal design

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

Grill function

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention

Auto-vent 2.0

Cooktop and hood connected via Bluetooth for synchronized and automatic operation

Backlit controls with white LEDs

Backlit controls with white LEDs for refined aesthetics and discreet visibility