

SIM3844MB



Product Family

Built-in type Ultra-low profile or Fully Flushed

Hob

Dimensions80 cmPower supplyElectricTypeInduction

EAN code 8017709338374



Aesthetics





AestheticClassicaColourMatt BlackFinishingMattMaterialGlassGlass typeCeramicGlass edgeStraight edge

Double ceramization Yes

Type of control setting EVO Slider

Slider Yes
LED colours White
Control knob position Front
Logo Silk screen

Logo Silk scre
Serigraphy colour Black

Program / Functions

Total no. of cook zones





No. of induction cook zones

Time-setting options Spegnimento automatico

No. of cooking zones with booster

4
No. of Flexible zones

1
Main on/off switch

Power levels

4
Yes

4
Yes


SMEG SPA 13/12/2025

4



Options





Worktop Cut-Out Keep warm automatic

function

Grill function Yes End cooking timer 4 Pause option Yes Minute minder End of cooking alarm Yes

14 0

Residual time indicator Yes

Limited Power MultiZone **Consumption Mode** 480x730 mm

> **Limited Power** 2400 a 7400 - step 100 W Consumption Mode in W

> > Yes

Yes

Yes

Yes

Si Advance

Showroom Demo Option Yes Control Lock / Child Yes Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features











Yes

Centre-left - Induction - Multizone - 2.30 kW - Booster 3.00 kW - Double booster 3.00 kW - Ø 25.0 cm Front-centre - Induction - Multizone - 1.40 kW - Booster 2.10 kW - Double booster 3.00 kW - Ø 16.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - 22.0x18.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Yes

Yes

Automatic setting according to pan dimension

Yes. min. 7 cm pan detection

Permanent Automatic Pot Detection with indication of the relative control

Minimum pan diameter indication

Automatic switch off when overheat

Automatic switch off Yes when overflow

Residual heat indicator **Protection against**

accidental start up

Flectrical Connection

Electrical connection

rating (W) Current 33 A Voltage (V) 220-240 V

Type of electric cable

installed

Additional connection

modalities

Voltage 2 (V)

7400 W

380-415 V Yes, Single phase

Yes, Double and Three

Phase

Type of electric cable supplied

Frequency (Hz) Power supply cable

length

Terminal box Plug


Yes, Double and Three

Phase 50/60 Hz 120 cm

5 poles Not present

SMEG SPA 13/12/2025





SMEG SPA 13/12/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 13/12/2025



Alternative products

SIM3844N

Colour: Matt Black



SIM3844D

Colour: Black


SMEG SPA 13/12/2025



Symbols glossary

L	7	7	-	1
И		0	15	ı
١	۶.	4	IJ)	ı
	٦,	=	"	ı

Permanent auto pot detection



necessary.

Power booster: option allows the zone to work at full power when very intense cooking is

The slider control panel allows you to adjust the power simply by passing your finger across the touch device.

STOP Overheat protection: The safety system that °CŦ automatically turns off the hob in case of overheating of the control unit.

Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility

All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.

Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.

Time elapsed: shows how long the cooking zone has been in use.

TWIN_ZONE_72dpi

Min diameter pot detection of 7 cm

Evolution Slider totally Back-lighted ghost effect

Connection between hob and hood

Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.

This function allows you to keep cooked food warm without burner it



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.

14 10 Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 °C, the indicator goes out.

Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

Grill function

Possibility to set the maximum power absorbion of the hob

SMEG SPA 13/12/2025