
# SIM3864D

| | |
|---|---|
| **Familie** | Kookplaat |
| **Inbouw** | Vlak opbouw of vlak inbouw |
| **Afmeting** | 80 cm |
| **Voeding** | Elektrisch |
| **Type** | Inductie |
| **EAN-code** | 8017709305581 |



## Design

| | |
|---|---|
| **Esthetiek** | Classici |
| **Kleur** | Zwart |
| **Afwerking** | Glas |
| **Materiaal** | Glas |
| **Type glas** | Ceramic Eclipse |
| **Glazen rand** | Rechte rand |
| **Type bediening** | EVO Slider |
| **Slider** | Ja |
| **Positie bediening** | Voor |
| **Logo** | Geëtst |
| **Kleur serigrafie** | Grijs |

## Program / Functions

| | |
|---|---|
| **Aantal inductiekookzones** | 6 |
| **Opties tijdprogrammering** | Automatische uitschakeling |
| **Aantal kookzones met booster** | 6 |
| **Aantal Multizones** | 3 |
| **Hoofdtoets aan/uit** | Ja |
| **Vermogenniveaus** | 9 |
| **Auto-vent 2.0** | Ja |
| **Totaal aantal kookzones** | 6 |

## Opties

| | |
|---|---|
| **Multizone optie** | Ja |
| **Flexible Zone Type** | MultiZone |
| **Worktop Cut-Out** | 490x750-780 mm |
| **Warmhoudfunctie** | Ja |
| **Grill functie** | Ja |
| **Automatische uitschakeling** | 6 |
| **Pauze optie** | Ja |
| **Timer** | 1 |
| **Akoestisch signaal einde kooktijd** | Ja |
| **Resttijd indicator** | Ja |
| **ECO-Logic optie** | Ja, Advance |
| **ECO-Logic optie - stappen** | 2400 a 11100 - step 100 W |
| **Showroom demo optie** | Ja |
| **Kinderbeveiliging** | Ja |
| **TwinZone optie** | Ja |
| **Quick start** | Ja |
| **Snelle selectie niveaus** | Ja |


## Technische specificaties

Linksvoor - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Linksachter - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Middenvoor - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Middenachter - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Rechtsvoor - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Rechtsachter - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm
Multizone left - Booster 3.70 kW - 38.5x23.0 cm
Multizone center - Booster 3.70 kW - 38.5x23.0 cm
Multizone right - Booster 3.70 kW - 38.5x23.0 cm

| | |
|---|---|
| **Automatische herkenning panafmeting** | Ja |
| **Automatische panherkenning** | minimaal 9 cm |
| **Permanente automatische pandetectie met indicatie van de relatieve controle** | Ja |
| **Automatische stop bij oververhitting** | Ja |
| **Automatisch uitschakelen i.g.v. overkoken** | Ja |
| **Restwarmte indicator** | Ja |
| **beveiliging tegen onbedoeld inschakeling** | Ja |

## Elektrische aansluiting

| | |
|---|---|
| **Aansluitwaarde** | 11100 W |
| **Stroom** | 49 A |
| **Spanning (V)** | 220-240 V |
| **Spanning 2 (V)** | 380-415 V |
| **Type stroomkabel** | Driefasig |
| **Type stroomkabel** | Enkele en dubbele fase |
| **Type of electric cable supplied** | Yes, Single and Double phase |
| **Frequentie** | 50/60 Hz |
| **Lengte voedingskabel** | 120 cm |
| **Connection box** | 5 polig |
| **Stekker** | Nee |


330
145
510
800
490
min.50
max.R5
750-780
min.20
50

## Compatibele Accessoires



**GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



**TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



**SCRP**

Inductie- en keramische kookplaten en teppanyaki-schraper

## Alternative products



**SIM3864N**

**Kleur:** Matt Black



**SIM3864MB**

**Kleur:** Matt Black

## Symbols glossary



Permanent auto pot detection



Powerbooster: optie zorgt ervoor dat de zone op vol vermogen werkt wanneer zeer intensief koken nodig is.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.




Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Time elapsed: shows how long the cooking zone has been in use.



TWIN_ZONE_72dpi




Min diameter pot detection of 9 cm.



Perfect fit in a 80 cm cabinet




Evolution Slider totally Back-lighted ghost effect



Connection between hob and hood



Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd



This function allows you to keep cooked food warm without burner it



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.




Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Grill function




Possibility to set the maximum power absorbion of the hob.




Darkness becomes light