

SIM3864MB



Product Family Hob

Built-in Ultra-low profile or Fully Flushed

Dimensions80 cmPower supplyElectricTypeInduction

EAN code 8017709338381



Aesthetics





AestheticsClassicColourMatte BlackFinishingMatteMaterialGlassGlass TypeCeramicGlass edgeStraight edge

Double ceramization Yes

Type of control setting EVO Slider Slider Yes

Slider White
Control knobs position Front
Logo Silk screen

Program / Functions





Serigraphy colour

No. of induction cook zones 6

Time-setting options Automatic switch-off

No. of cooking zones with booster 6
No. of Flexible zones 3
Main on/off switch Yes
Power levels 9
Auto-Vent 2.0 Yes
Total no. of cook zones 6

SMEG SPA 14/12/2025

Black



Options























Multizone Option Flexible Zone Type

490x750-780 mm Standard cut out

Keep warm automatic

function

Grill function Yes End cooking timer 6 Pause option Yes Minute minder End of cooking acoustic

Yes MultiZone

Yes









Residual time indicator

Limited Power Yes advance

Consumption Mode

2400 a 11100 - step 100 **Limited Power**

Yes

Yes

Yes

Consumption Mode in W Show Room Demo Yes

Option

Control Lock / Child

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features











Front left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm

Rear left - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm

Front centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm Regr centre - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm

Front right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm

Rear right - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 22.0x18.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Multizone center - Booster 3.70 kW - 38.5x23.0 cm Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension

Automatic pan

detection

Permanent Automatic

Pot Detection with indication of the relative control

Automatic switch off

Type of electric cable

when overheat

Yes

Yes, min 9 cm

Three-phase

Yes

Yes

Automatic switch off when overflow

Residual heat indicator Yes Protection against Yes

accidental start up

Electrical Connection

Nominal power (W) 11100 W Current 49 A 220-240 V Voltage (V) Voltage 2 (V) 380-415 V

Type of electric cable Type of electric cable supplied

Frequency (Hz) Power supply cable

Terminal Box

length


Yes, Single and Double phase

Single and Double phase

50/60 Hz 120 cm

5 poles







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Alternative products

SIM3864N

Colour: Matte Black



SIM3864D

Colour: Black



Symbols glossary

3	
ريه	9)
- C	"

Permanent auto pot detection



Connection between hob and hood



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Evolution Slider totally Back-lighted ghost effect



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Grill function



Min diameter pot detection of 9 cm



Possibility to set the maximum power absorbion of the hob



Perfect fit in a 80 cm cabinet