

# SIM3964D




**Product Family** 

Built-in type Ultra-low profile or Fully Flushed

Hob

**Dimensions** 90 cm Power supply Electric Induction Type

EAN code 8017709301453



#### **Aesthetics**







**Aesthetic** Classica Colour Black **Finishing** Glass Material Glass

Glass type ceramic Eclipse Straight edge Glass edge **EVO Slider** Type of control setting

Slider Yes Control knob position Front Serigraphy colour Grey

## **Options**

























**Multizone Option** 

Flexible Zone Type Worktop Cut-Out

Yes







Residual time indicator

Yes

Yes

Si Advance

Keep warm automatic

function

490x860 mm Yes

**Limited Power Consumption Mode Limited Power** 

2400 a 11100 - step 100

**Grill function** Yes End cooking timer 6 Pause option Yes

Minute minder End of cooking alarm Yes Showroom Demo Option Yes Control Lock / Child Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Consumption Mode in W W

**SMEG SPA** 24/12/2024



#### **Technical Features**











Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Front-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Multizone left - Booster 3.70 kW - 38.5x23.0 cm

Multizone center - Booster 3.70 kW - 38.5x23.0 cm Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Yes

Yes

Automatic setting according to pan

dimension

pan detection Yes, min 9 cm

**Permanent Automatic** Pot Detection with indication of the relative

control

Automatic switch off

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes Protection against Yes

accidental start up

#### **Electrical Connection**

Plug Not present 11100 W **Electrical connection** rating (W) Current

220-240 V Voltage (V) 380-415 V Voltage 2 (V) Type of electric cable Yes, Three-phase

installed

49 A

Additional connection modalities

Type of electric cable supplied

Frequency (Hz) Power supply cable

length

Terminal box

Yes, Single and Double

phase

Yes


Yes, Single and Double

phase 50/60 Hz 120 cm

5 poles

**SMEG SPA** 24/12/2024





SMEG SPA 24/12/2024



## Not included accessories

#### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

#### **TPK**



Stainless steel grill plate to cook Teppanyaki dishes



#### **TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 24/12/2024



## Symbols glossary (TT)

1	9

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN\_ZONE\_72dpi



Permanent auto pot detection



Connection between hob and hood



**Grill function** 



Min diameter pot detection of 9 cm



Possibility to set the maximum power absorbion of the hob



Perfect fit in a 90 cm cabinet



Darkness becomes light



Evolution Slider totally Back-lighted ghost effect

SMEG SPA 24/12/2024