

SIM631WLDR





Product Family Hob
Built-in type Traditional
Dimensions 38 cm
Power supply Electric
Type Induction

EAN code 8017709221935



Aesthetics







Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingMulti Slider

Slider Yes
Slider White
Control knob position Front
Components finishing Copper
Serigraphy colour Grey

Programs / Functions



Total no. of cook zones 2
No. of induction cook zones 2
No. of cooking zones with booster 2
No. of Flexible zones 1
Main on/off switch Yes
Power levels 9

Options

















Multizone Option Flexible Zone Type Standard cut out

Yes MultiZone 490x310 mm

Simmering Function Keep warm automatic Yes Yes

function Melting/Low

Yes

temperature cooking

function

End cooking timer

2

Residual time indicator Showroom Demo Option Yes Control Lock / Child

Pause option

Minute minder

End of cooking alarm

Yes Yes Yes

Yes

Yes

Safety

Rapid level selection Yes

Technical Features













Front-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Rear-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Multizone center - Booster 3.60 kW - 38.5x23.0 cm

Automatic setting according to pan dimension

pan detection

Yes, min 9 cm

Permanent Automatic Pot Detection with indication of the relative

control

Automatic switch off when overheat

Yes

Yes

Yes

when overflow

Residual heat indicator **Protection against** accidental start up

Automatic switch off

Yes

Yes

Electrical Connection

Electrical connection

3700 W

rating (W) Current

Voltage (V)

16 A 220-240 V Type of electric cable


Frequency (Hz) Power supply cable

length

Single phase 50/60 Hz

120 cm







Not included accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



Symbols glossary (TT)



..



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Premium individual Slider control for each zone



Darkness becomes light



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



PAUSE_72dpi



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.