

# SIM631WLDR





Product Family Hob
Built-in type Traditional
Dimensions 38 cm
Power supply Electric
Type Induction

**EAN code** 8017709221935



### **Aesthetics**







Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlass

Glass type ceramic Eclipse
Glass edge Straight edge
Type of control setting Multi Slider

Slider Yes
LED colours White
Control knob position Front
Components finishing Copper
Logo Silk screen
Serigraphy colour Grey

# **Program / Functions**



No. of induction cook zones2No. of cooking zones with booster2No. of Flexible zones1Main on/off switchYesPower levels9Total no. of cook zones2

## **Options**















Yes





**Multizone Option** Flexible Zone Type Worktop Cut-Out Simmering Function

MultiZone 490x310 mm Yes

Keep warm automatic function

Yes

Melting/Low

Yes

temperature cooking

function

End cooking timer 2 Pause option Yes Minute minder 1 End of cooking alarm Yes Residual time indicator Yes Showroom Demo Option Yes Control Lock / Child Yes Safety

Rapid level selection Yes

### **Technical Features**













Front-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Regr-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Multizone center - Booster 3.60 kW - 38.5x23.0 cm

**Automatic setting** according to pan dimension

pan detection **Permanent Automatic** Pot Detection with indication of the relative

control

Automatic switch off

when overheat

Yes

Yes. min. 9 cm

Yes

Yes

Automatic switch off when overflow

Residual heat indicator Yes

**Protection against** 

accidental start up

### **Electrical Connection**

**Electrical connection** 

rating (W)

installed

Current 16 A Voltage (V) 220-240 V Type of electric cable

Yes, Single phase

3700 W

Frequency (Hz) Power supply cable

length

Plug Not present


Yes

Yes

50/60 Hz

120 cm







# **Compatible Accessories**

#### **LGCN**



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

#### TPK



Stainless steel grill plate to cook Teppanyaki dishes



## Symbols glossary

L	7	7	-	1
И		0	15	ı
١	۶.	4	IJ)	ı
	٦,	=	"	ı

Permanent auto pot detection



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Darkness becomes light



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



This function allows you to keep cooked food warm without burner it



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Min diameter pot detection of 9 cm



Premium individual Slider control for each zone