

SIM6323R





Product Family Hob
Built-in Traditional
Dimensions 38 cm
Power supply Electric
Type Induction

EAN code 8017709309664



Aesthetics







Aesthetics Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlass

Glass Type Eclipse ceramic
Glass edge Straight edge
Type of control setting Multi Slider

SliderYesSliderWhiteControl knobs positionFrontSerigraphy colourGrey

Program / Functions



No. of induction cook zones 2

Time-setting options Automatic switch-off

No. of cooking zones with booster 2
No. of Flexible zones 1

Main on/off switchYesPower levels9Total no. of cook zones2

Options



























Multizone Option Flexible Zone Type Standard cut out

Yes MultiZone 490x310 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes

function

Grill function Yes End cooking timer 2 Pause option Yes Minute minder 1

End of cooking acoustic

alarm

Residual time indicator

Limited Power Consumption Mode Yes advance

2100 a 3700 - step 100 W

Yes

Yes

Yes

Limited Power Consumption Mode in W

Show Room Demo Yes

Option

Control Lock / Child

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features













Front centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear centre - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Multizone center - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension Automatic pan

detection

Permanent Automatic Pot Detection with indication of the relative control

Automatic switch off

when overheat

Yes

Yes, min 9 cm

Yes

Yes

Automatic switch off when overflow

Residual heat indicator Yes **Protection against** Yes


accidental start up

Electrical Connection

Nominal power (W) 3700 W Current 16 A Voltage (V) 220-240 V Type of electric cable Frequency (Hz) Power supply cable length

Single phase 50/60 Hz 120 cm







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Darkness becomes light

Symbols glossary

O	Automatic merge of zones for a bigger area	O	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Standard installation: Traditional installation in tabletop, suitable for any kitchen sets
S	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.
<u>"</u>	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	; ⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
Ē	Grill function	(F)	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
1	PAUSE_72dpi	† P 14 10 15	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
()	Time elapsed: shows how long the cooking zone has been in use.	()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	(9cm)	Min diameter pot detection of 9 cm
logic ADVANCE	Possibility to set the maximum power absorbion of the hob	BOOST	Additional maximum power level for a better energy consumption

SMEG SPA 15/09/2025

MULTI

Premium individual Slider control for each zone



Benefit

Induction hobs

Fast cooking and precise temperature control thanks to powerful induction technology

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

Precise and versatile cooking with Multi Slider controls and white LEDs, combining functionality with minimal design

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Keep Warm function

With the Keep Warm function, your food stays perfectly heated, ready to serve whenever you are

Nine power levels and Boost function for optimal cooking performance

MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

Grill function

The grill function delivers even heat distribution and needs just two minutes of preheating, for perfectly grilled results, fast

Permanent Automatic Pot Detection

Autopot detection knows exactly where your pot is and activates the right zone instantly for effortless precision, every time

Backlit controls with white LEDs

Backlit controls with white LEDs for refined aesthetics and discreet visibility