

SIM6644R





Product Family Hob
Built-in type Traditional
Dimensions 60 cm
Power supply Electric
Type Induction

EAN code 8017709309695



Aesthetics







Aesthetic Dolce Stil Novo

ColourBlackFinishingCopperMaterialGlassGlass typeCeramicGlass edgeStraight edgeType of control settingMulti Slider

Slider Yes
Slider White

Control knob positionFrontLogoSilk screen

Serigraphy colour Grey

Program / Functions





No. of induction cook zones

Time-setting options Automatic Shutdown

No. of cooking zones with booster 4

No. of Flexible zones 2

Main on/off switch Yes

Power levels 9

Auto-vent 2.0 Yes

Total no. of cook zones 4



Options



function

Grill function

Pause option

Minute minder



Flexible Zone Type

Standard cut out

Multizone Option

Multizone Option

End cooking timer

Keep warm automatic







Yes

Yes

Yes

Yes

Yes

Yes

4

MultiZone



478-482x555-560 mm











End of cooking alarm Yes Residual time indicator Yes

Limited Power Consumption Mode

Limited Power Consumption Mode in W

2400, 2800, 3500, 4000, 5000, 5500, 6000, 7400 W

Advanced Eco Logic

Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option si-AUTO **Ouick start** Yes Rapid level selection Yes

Technical Features











Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Automatic setting according to pan

dimension

pan detection Yes, min 9 cm

Permanent Automatic Pot Detection with indication of the relative

control

rating (W)

Voltage (V)

Voltage 2 (V)

Type of electric cable

Current

Automatic switch off when overheat

Yes

Yes

Yes

Automatic switch off when overflow

Residual heat indicator Protection against

accidental start up

Yes

Yes Yes

Electrical Connection

Electrical connection

7400 W

33 A

220-240 V 380-415 V

Single phase

Type of electric cable

Yes, Double and Three

Phase 50/60 Hz

Frequency (Hz) Power supply cable


length

Terminal box

5 poles

120 cm







Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



SCRP

Induction and ceramic hobs and teppanyaki scraper

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

1	Ð
/	

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



CUT_OUT_STANDARD_72dpi



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



--



...







Additional maximum power level for a better energy consumption



Darkness becomes light



Premium individual Slider control for each zone



Automatic merge of zones for a bigger area