

# SIM693WLDR





Product Family Hob
Built-in type Traditional
Dimensions 90 cm
Power supply Electric
Type Induction

**EAN code** 8017709221959



### **Aesthetics**







Aesthetic Dolce Stil Novo
Colour Black

Finishing Copper Material Glass

Glass type ceramic Eclipse
Glass edge Straight edge
Type of control setting Multi Slider

Slider Yes
LED colours White
Control knob position Front
Components finishing Copper
Logo Silk screen
Serigraphy colour Grey

# **Program / Functions**



No. of induction cook zones 6
No. of cooking zones with booster 6
No. of Flexible zones 3
Main on/off switch Yes
Power levels 9
Total no. of cook zones 6

## **Options**



















**Multizone Option** Yes Flexible Zone Type Worktop Cut-Out

Simmering Function Keep warm automatic

function

Melting/Low temperature cooking

function

Multi7one 490x880 mm

Yes Yes

Yes

End cooking timer 6 Pause option Yes Minute minder 1 End of cooking alarm Yes Residual time indicator Yes Showroom Demo Option Yes Control Lock / Child Yes

Safety

Rapid level selection Yes

### **Technical Features**













Front-left - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Rear-left - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Front-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Rear-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Front-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Rear-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

Multizone left - Booster 3.60 kW - 38.5x23.0 cm Multizone center - Booster 3.60 kW - 38.5x23.0 cm Multizone right - Booster 3.60 kW - 38.5x23.0 cm

**Automatic** setting according to pan

dimension

pan detection Yes, min. 9 cm

**Permanent Automatic** Yes Pot Detection with indication of the relative

control

Automatic switch off

when overheat

Yes

Yes

10800 W

Universal

when overflow

Residual heat indicator **Protection against** 

Automatic switch off

accidental start up

### **Electrical Connection**

**Electrical connection** 

rating (W)

Current 47 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V

Type of electric cable

installed

Frequency (Hz) Power supply cable

length

Plug

Terminal box

5 poles Not present

50/60 Hz


150 cm

Yes

Yes

Yes







# **Compatible Accessories**

#### **LGCN**



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



#### **SCRP**

Non-scratch hob scraper - suitable for induction and ceramic hobs

#### TPK



Stainless steel grill plate to cook Teppanyaki dishes



## Symbols glossary

L	-	7	٥	
ľ		•	).	4
١	۶,	-	9	IJ
L	٦	S	9	1

Permanent auto pot detection



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Premium individual Slider control for each zone



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Darkness becomes light



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Min diameter pot detection of 9 cm



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eq beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.