

SIMU324D



Product family

Installation Proud or flush mounted

Cooktop

Dimensions 24"
Power supply Mixed
Type Induction

EAN code 8017709328917



Aesthetic







AestheticsUniversalColorBlackFinishingGlassMaterialGlass

Glass edge Eclipse ceramic Straight edge

Control setting type Touch control - Backlit white

Slider Yes
Slider White
Controls position Front

Logo Silkscreened

Silkscreen color Gray

Program / Functions



Cooking zones

Time-setting options Automatic switch-off

Cooking zones with Booster4No. of Flexible zones2Main on/off switchYesPower levels9Cooking zones4

Options

SMEG SPA 12/3/2025







Flexible zone

Multi-zone

Multi-zone

Multi-zone

Grill function

Pause option

Minute minder

End cooking timer

function



Keep-warm automatic







MultiZone

Yes

Yes

Yes

Yes

Yes

Yes

4

1











End-of-cooking acoustic Yes

alarm Residual time indicator Yes Limited power Yes consumption option

Limited Power 2400 a 7400 - step 100 W

Consumption Mode in W Showroom mode Yes Child safety lock Yes Twin-zone option Yes Quick start Yes Quick level selection Yes

Technical Features













Front-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-left - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm

Multizone left - Booster 3.70 kW - 38.5x23.0 cm Multizone right - Booster 3.70 kW - 38.5x23.0 cm

Automatic pan diameter Yes adjustment

Automatic pot detection 3.5" minimum

Permanent Automatic Yes Pot Detection with indication of the relative control

Automatic switch-off in Yes

case of over-heating

Automatic switch-off in Yes

case of overflow

Residual heat indicator Yes Protection from Yes

accidental start


Electrical Connection

Nominal power 7400 W Current 33 A Voltage 240 V Voltage 2 (V) 208 V

Electric cable type Single phase Frequency 60 Hz 47 1/4 " Power cord length Terminal box 5 poles

SMEG SPA 12/3/2025





SMEG SPA 12/3/2025



Compatible Accessories



SCRP

Induction and ceramic hobs and teppanyaki scraper



TPK

Stainless steel grill plate to cook Teppanyaki dishes

SMEG SPA 12/3/2025



Symbols glossary


O	Automatic merge of zones for a bigger area	O	
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.	δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	ECO logic	ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
ď	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	;*;* ;*⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		PAUSE_72dpi
† P 114 110 15	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).	•	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still	()	Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

60 ° C, the indicator goes out.

remains hot. When the temperature drops below







Additional maximum power level for a better energy consumption



Evolution Slider totally Back-lighted ghost effect



TWIN_ZONE_72dpi





Darkness becomes light

SMEG SPA 12/3/2025