# SISL7955MB

| | |
|---|---|
| **Product Family** | Hob |
| **Built-in** | Surface mount |
| **Dimensions** | 90 cm |
| **Power supply** | Electric |
| **Type** | Induction |
| **EAN code** | 8017709357184 |



## Aesthetics

| | |
|---|---|
| **Aesthetics** | Isola |
| **Series** | Alta Pro |
| **Colour** | Matte Black |
| **Perimeter lighting** | Yes |
| **Light colour** | 4000 K |
| **Finishing** | Glass |
| **Material** | Glass |
| **Glass Type** | Prestige ceramic |
| **Glass edge** | Straight edge |
| **Frame** | Yes |
| **Frame colour** | Black |
| **Frame material** | Aluminum |
| **Type of control setting** | Vivo Screen |
| **Slider** | TFT |
| **Control knobs position** | Front |
| **Logo** | Silk screen |
| **Serigraphy colour** | Grey |
| **Alternative colours available** | Stainless steel |

## Program / Functions

| | |
|---|---|
| **No. of induction cook zones** | 5 |
| **Time-setting options** | Automatic switch-off |
| **No. of cooking zones with booster** | 5 |
| **No. of Flexible zones** | 2 |
| **Main on/off switch** | Yes |

| | |
|---|---|
| **Power levels** | 17 |
| **Total no. of cook zones** | 5 |

## Options




| | |
|---|---|
| **Multizone Option** | Yes |
| **Flexible Zone Type** | MultiZone |
| **Standard cut out** | 490x850 mm |
| **Double Booster** | Yes |
| **Follow Pot** | Yes |
| **Pasta function** | Yes |
| **Steaming function** | Yes |
| **Roasting function** | Yes |
| **Auto-boiling Function** | Yes |
| **Simmering Function** | Yes |
| **Keep warm automatic function** | Yes |
| **Melting/Low temperature cooking function** | Yes |

| | |
|---|---|
| **End cooking timer** | 5 |
| **Pause option** | Yes |
| **Minute minder** | 1 |
| **End of cooking acoustic alarm** | Yes |
| **Residual time indicator** | Yes |
| **Limited Power Consumption Mode** | Yes advance |
| **Limited Power Consumption Mode in W** | 2400 a 11100 - step 100 W |
| **Show Room Demo Option** | Yes |
| **Control Lock / Child Safety** | Yes |
| **Quick start** | Yes |
| **Rapid level selection** | Yes |

## Technical Features




Front left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Rear left - Induction - multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Front centre - Induction - single - 2.60 kW - Booster 4.00 kW - Double booster 5.50 kW - 26.0x18.0 cm
Rear right - Induction - multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Front right - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Multizone left - Booster 3.70 kW - 36x21 cm
Multizone right - Booster 3.70 kW - 36x21 cm


| | |
|---|---|
| **Automatic setting according to pan dimension** | Yes |
| **Automatic pan detection** | Yes, min 9 cm |
| **Permanent Automatic Pot Detection with indication of the relative control** | Yes |
| **Automatic switch off when overheat** | Yes |

| | |
|---|---|
| **Automatic switch off when overflow** | Yes |
| **Residual heat indicator** | Yes |
| **Protection against accidental start up** | Yes |

## Electrical Connection

| | |
|---|---|
| **Nominal power (W)** | 11100 W |
| **Current** | 49 A |
| **Type of electric cable supplied** | Yes, Single and Double phase |

| | | | |
|---|---|---|---|
| **Voltage (V)** | 220-240 V | **Frequency (Hz)** | 50/60 Hz |
| **Voltage 2 (V)** | 380-415 V | **Power supply cable length** | 120 cm |
| **Type of electric cable** | Three-phase | **Terminal Box** | 5 poles |
| **Type of electric cable** | Single and Double phase | **Plug** | No |



## Compatible Accessories



**GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



**TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



**SCRP**

Induction and ceramic hobs and teppanyaki scraper

## Alternative products



**SISL7955X**

**Colour:** Stainless steel

## Symbols glossary



Permanent auto pot detection



Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.




Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE_72dpi




Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.




Min diameter pot detection of 9 cm




Possibility to set the maximum power absorbion of the hob




Additional maximum power level for a better energy consumption



Possibility to freely move the pot everywhere without turn off the initial settings chosen.