SISL7955MB

Product Family	Hob
Built-in type	Support
Dimensions	90 cm
Power supply	Electric
Type	Induction
EAN code	8017709357184



Aesthetics

Aesthetic	Isola
Serie	Alta Pro
Colour	Black with matt black frame
Perimeter lighting	Yes
Light color temperature scale (K)	4000 K
Finishing	Glass
Material	Glass
Glass type	Prestige ceramic
Glass edge	Straight edge
Frame	Yes
Frame colour	Black
Frame material	Aluminum
Type of control setting	Vivo Screen
LED colours	TFT
Control knob position	Front
Logo	Silk screen
Serigraphy colour	Grey
Alternative colours available	Stainless steel

Program / Functions

No. of induction cook zones	5
Time-setting options	Automatic switch-off
No. of cooking zones with booster	5
No. of Flexible zones	2
Main on/off switch	Yes

Power levels	17
Total no. of cook zones	5

Options



Multizone Option	Yes	**End cooking timer**	5
Flexible Zone Type	MultiZone	**Pause option**	Yes
Worktop Cut-Out	490x850 mm	**Minute minder**	1
Double Booster	Yes	**End of cooking alarm**	Yes
Follow Pot	Yes	**Residual time indicator**	Yes
Pasta function	Yes	**Limited Power Consumption Mode**	Si Advance
Steaming function	Yes	**Limited Power Consumption Mode in W**	2400 a 11100 - step 100 W
Roasting function	Yes	**Showroom Demo Option**	Yes
Auto-boiling Function	Yes	**Control Lock / Child Safety**	Yes
Simmering Function	Yes	**Quick start**	Yes
Keep warm automatic function	Yes	**Rapid level selection**	Yes
Melting/Low temperature cooking function	Yes		

Technical Features




Front-left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Rear-left - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Front-centre - Induction - Single - 2.60 kW - Booster 4.00 kW - Double booster 5.50 kW - 26.0x18.0 cm
Rear-right - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Front-right - Induction - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Multizone left - Booster 3.70 kW - 36x21 cm
Multizone right - Booster 3.70 kW - 36x21 cm

Automatic setting according to pan dimension	Yes	**Automatic switch off when overflow**	Yes
pan detection	Yes, min. 9 cm	**Residual heat indicator**	Yes
Permanent Automatic Pot Detection with indication of the relative control	Yes	**Protection against accidental start up**	Yes
Automatic switch off when overheat	Yes		

Electrical Connection

Electrical connection rating (W)	11100 W	**Type of electric cable supplied**	Yes, Single and Double phase
		Frequency (Hz)	50/60 Hz

Current	49 A	**Power supply cable length**	120 cm
Voltage (V)	220-240 V	**Terminal box**	5 poles
Voltage 2 (V)	380-415 V	**Plug**	Not present
Type of electric cable installed	Yes, Three-phase		
Additional connection modalities	Yes, Single and Double phase		



Compatible Accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

Alternative products



SISL7955X

Colour: Black with stainless steel effect frame

Symbols glossary



Permanent auto pot detection



Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Min diameter pot detection of 9 cm.



Possibility to set the maximum power absorbion of the hob.



Additional maximum power level for a better energy consumption



Possibility to freely move the pot everywhere without turn off the initial settings chosen.