# SISL7955MB

| | |
|---|---|
| **Familie** | Kookplaat |
| **Inbouw** | Tussenbouw |
| **Afmeting** | 90 cm |
| **Voeding** | Elektrisch |
| **Type** | Inductie |
| **EAN-code** | 8017709357184 |



## Design

| | |
|---|---|
| **Esthetiek** | Isola |
| **Serie** | Alta Pro |
| **Kleur** | Black with matt black frame |
| **Perimeter lighting** | Yes |
| **Light color temperature scale (K)** | 4000 K |
| **Afwerking** | Glas |
| **Materiaal** | Glas |
| **Type glas** | Prestige ceramic |
| **Glazen rand** | Rechte rand |
| **Kader** | Ja |
| **Kleur kader** | Zwart |
| **Frame material** | Aluminum |
| **Type bediening** | Vivo Screen |
| **Slider** | TFT |
| **Positie bediening** | Voor |
| **Logo** | Geëtst |
| **Kleur serigrafie** | Grijs |
| **Andere beschikbare kleuren** | Roestvrij staal |

## Program / Functions

| | |
|---|---|
| **Aantal inductiekookzones** | 5 |
| **Opties tijdprogrammering** | Automatische uitschakeling |
| **Aantal kookzones met booster** | 5 |
| **Aantal Multizones** | 2 |
| **Hoofdtoets aan/uit** | Ja |

| | |
|---|---|
| **Vermogenniveaus** | 17 |
| **Totaal aantal kookzones** | 5 |

## Opties



| | |
|---|---|
| **Multizone optie** | Ja |
| **Flexible Zone Type** | MultiZone |
| **Worktop Cut-Out** | 490x850 mm |
| **Multizone optie** | Ja |
| **Multizone optie** | Ja |
| **Pasta function** | Yes |
| **Steaming function** | Yes |
| **Roasting function** | Yes |
| **Functie automatisch koken** | Ja |
| **Sudderfunctie** | Ja |
| **Warmhoudfunctie** | Ja |
| **Smelt/ Lage temperatuurfunctie** | Ja |
| **Automatische uitschakeling** | 5 |
| **Pauze optie** | Ja |
| **Timer** | 1 |
| **Akoestisch signaal einde kooktijd** | Ja |
| **Resttijd indicator** | Ja |
| **ECO-Logic optie** | Ja, Advance |
| **ECO-Logic optie - stappen** | 2400 a 11100 - step 100 W |
| **Showroom demo optie** | Ja |
| **Kinderbeveiliging** | Ja |
| **Quick start** | Ja |
| **Snelle selectie niveaus** | Ja |

## Technische specificaties



Linksvoor - Inductie - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Linksachter - Inductie - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Middenvoor - Inductie - enkel - 2.60 kW - Booster 4.00 kW - Double booster 5.50 kW - 26.0x18.0 cm
Rechtsachter - Inductie - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm


Rechtsvoor - Inductie - Multizone - 2.10 kW - Booster 3.00 kW - Double booster 3.70 kW - 21.0x18.0 cm
Multizone left - Booster 3.70 kW - 36x21 cm
Multizone right - Booster 3.70 kW - 36x21 cm

| | |
|---|---|
| **Automatische herkenning panafmeting** | Ja |
| **Automatische panherkenning** | minimaal 9 cm |
| **Permanente automatische pandetectie met indicatie van de relatieve controle** | Ja |
| **Automatische stop bij oververhitting** | Ja |
| **Automatisch uitschakelen i.g.v. overkoken** | Ja |
| **Restwarmte indicator** | Ja |
| **beveiliging tegen onbedoeld inschakeling** | Ja |

## Elektrische aansluiting

| | |
|---|---|
| **Aansluitwaarde** | 11100 W |
| **Stroom** | 49 A |
| **Spanning (V)** | 220-240 V |
| **Spanning 2 (V)** | 380-415 V |
| **Type of electric cable supplied** | Yes, Single and Double phase |
| **Frequentie** | 50/60 Hz |
| **Lengte voedingskabel** | 120 cm |

| | | | |
|---|---|---|---|
| **Type stroomkabel** | Driefasig | **Connection box** | 5 polig |
| **Type stroomkabel** | Enkele en dubbele fase | **Stekker** | Nee |



## Compatibele Accessoires



**GRILLPLATE**

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



**TPKPLATE**

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



**SCRP**

Inductie- en keramische kookplaten en teppanyaki-schraper

## Alternative products



**SISL7955X**

**Kleur:** Black with stainless steel effect frame

## Symbols glossary



Permanent auto pot detection



Automatic Boiling function: a sensor confirms once the boiling point has been reached and then an acoustic alert signals that the ingredients can be added, saving time and energy.



Powerbooster: optie zorgt ervoor dat de zone op vol vermogen werkt wanneer zeer intensief koken nodig is.



Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd




Additional maximum power level for a better energy consumption



Possibility to freely move the pot everywhere without turn off the initial settings chosen.



This function allows you to keep cooked food warm without burner it




Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.




Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.




Min diameter pot detection of 9 cm.




Possibility to set the maximum power absorbion of the hob.